


Atterbury Consultants, Inc.



User's Manual

3800 Cedar Hills Blvd., #145
Beaverton, Oregon 97005
Phone: (503) 646-5393
Fax: (503) 644-1683
<http://www.atterbury.com>
e-mail: atterbury@atterbury.com

Table of Contents

Welcome to FLIPS	1
Welcome to SuperACE	1
ForestVIEW.....	1
What is ForestVIEW?.....	2
Working spatially	2
Layouts.....	2
SAMPLING	3
Key To Timber Cruise Sampling Method	3
Sampling Methods	4
Sampling Design and Intensity.....	6
DATA INPUT	7
TC - Dbh Cru/Cnt	7
TC - Extra Tree Measurements.....	7
FI - History/Planning Screen	7
FI - Land/Soils Screen.....	7
TC - Plot Loc	7
TC - Scaling	8
FI - Sort/Grade Screen.....	8
FI - Spp Sum Screen.....	8
Stand Information Screen	8
FI - Stand Input Screen	8
FI - Stand Table	8
TC - Transect	8
TC - Tree Edit Screen	8
TC - Tree Input Screen	9
Type Master Screen.....	12
HOW TO	12
Add and Remove ZM, ZP Types.....	12
Adjust Timber Cruise Volume	12
Adjust Inventory Volumes	13
Adjust Site Index	14
Assign Tables to a Project	14
Backup a Project.....	15
Change Communication (COM) Ports	15
Change Report Parameters	16
Change Species, Sort or Grade Codes.....	16
Change a Tract Name.....	17
Copy Cruise Plots	17
Copy a Project.....	17
Copy a Stand	18
Create or Add a Project.....	18
Create a New Stand.....	18
Create a New Table	18
Delete a Project.....	19

FLIPS / SuperACE 2006™ User's Manual

Delete a Stand	19
Delete a Table.....	19
Delete Cruise Plots	20
Download Data from Pocket SuperEASY™ to SuperACE 06™	20
Download Tables to Pocket SuperEASY™	21
Download Data from a CMT Unit	23
Download Tables From PC to CMT Unit.....	23
Edit Plot Data	23
Edit Project.....	24
Edit Tables	24
Enter Plot Data.....	24
Explode a Stand.....	27
Export a Report\Graph	28
Find a Stand.....	28
Grow a Project	28
Grow a Stand	28
Import Cruise Data into Inventory	29
Import a DOS-based FLIPS Project.....	29
Import a DOS-based SuperACE Project.....	29
Open a Type Master Screen	30
Open a Table	30
Print a Report\Graph.....	30
Print a Table.....	30
Print a Window	30
Query Stands	30
Record Blank Plots.....	31
Record Count Plots.....	31
Record Count Trees.....	32
Restore a Project	32
Run Reports\Graphs	33
Run a Stand Table Adjustment Cruise.....	33
Select Multiple Stands.....	34
Select a Printer.....	34
Select a Project.....	35
Select a Stand.....	35
Start ForestVIEW	35
Update Inventory from Cruise Data.....	35
Use Defaults Screen	36
REPORTS	36
Age Class - Conifer & Hardwood Summary Report.....	36
Age Class Distribution By Spp Type, Average Vol. per Acre Report	37
Catalog Species Volume Report.....	38
Catalog - Tree Classification Report	39
Log Stock Table - MBF Report.....	41
Log Stock Table - Percent Board Foot Report.....	41
Log Stock Table - Percent Cubic Feet Report	42
Non-Stocked and Non-Timbered Acres Report	43
Ownership Report	43
Plot List Report.....	43
Species Sort/Grade Report	44

FLIPS / SuperACE 2006™ User's Manual

Species Summary - Logs and Volumes Report	45
Stand Table Summary Report.....	46
Statistics.....	47
Timber Value Analysis Report.....	47
Tract Summary Report.....	48
Tree Segment Volumes Report.....	48
Type Acres List Report.....	48
Volume Relationships by Species Report	49
TABLES	49
Adjustment Tables	49
Age.....	50
Aspect	50
Category.....	51
Cost Table Overview.....	51
T1-Crown Position.....	51
T2-Crown Ratio	51
Component.....	52
Cruise System.....	52
T4-Damage	52
Environment.....	52
Harvest.....	53
History/Planning	53
Landform	53
NonStock.....	53
NonTimber	53
Price Table Overview.....	54
Roads.....	55
Seed Zone.....	55
Slash	55
Soils	55
Sort/GradeTable Overview.....	56
Species Table Overview	57
Status	58
Streams.....	58
Tax	59
Treatment.....	59
TreeSource	59
T3-Vigor	59
Vegetation.....	59
WoodType.....	60
LINKING FORESTVIEW TO FLIPS	60
Initiating the Link to Flips.....	60
Selecting the Project.....	61
Filling in the Match Fields Area	62
Filling in the Buffers Area	62
Matching the Data.....	63
Making Choices for the FI/FV-Matched Area	63
Back to ForestVIEW.....	64
Exiting and Saving in ForestVIEW	65

FLIPS / SuperACE 2006™ User's Manual

TECHNICAL SUPPORT 65

Before Calling for Technical Support 65

Calling ACI Technical Support in the United States 65

Customer services 65

Training Services 66

How to Find a Class Near You or Set up Customized Training 66

Welcome to FLIPS

Atterbury Consultants is pleased to bring you FLIPS, the windows version of our Forest Land Inventory and Planning System (FLIPS). Finally, a user-friendly, flexible working environment to assist you in completing all of your forest inventory projects. Below is a brief list of some of the exciting new features available with FLIPS.

Stand View

- View stands by species, D4H, and sort/grade.
- Update growth and create new sort/grade records using old sort/grade records.

Flexible Database Design

- Manipulate database easily due to component design.
- Attach more project information such as customer name and address, project leader, etc.
- Include external information from sources such as satellite images, aerial photos, and ForestVIEW projects.

Interface with ForestVIEW Desktop Mapping Software (if you have purchased this)

- Update ForestVIEW data with FLIPS and vice versa.
- Create new inventory data from within ForestVIEW.

Seamless Integration with Timber Cruise

- Interchange data between FLIPS and our new timber cruise software, SuperACE (if you have purchased this).
- View plot and tree level data in the SuperACE timber cruise program directly from FLIPS.

Import Data from DOS Versions of our Forestry Software

- Effortlessly import data created in MS-DOS versions of FLIPS and SUPERACE.

Generate Numerous Reports and Graphs

- Create reports and graphs for an entire project, individual stand, or selected stands.
- Use the new "Data Selector" to produce reports and graphs based on data selected by user-defined stand parameters.
- Attach reports and graphs outside of ForestVIEW to the project.

Welcome to SuperACE

Atterbury Consultants is pleased to bring you SuperACE, the windows version of our *Super Accurate Cruise Extension* program. Finally, a user-friendly, flexible working environment to assist you in completing all of your timber cruising projects. Below is a brief list of some of the exciting new features available with SuperACE.

Seamless Integration with FLIPS

Import Data from DOS Versions of our Forestry Software

Menu Driven

On-line Help

Flexible Database Design

Multiple sampling systems

Generate Numerous Reports and Graphs

Variable log lengths

User defined tables

Timber cruise and reforestation input

ForestVIEW

What is ForestVIEW?

ForestVIEW is a powerful, easy-to-use tool that brings geographic information to your desktop. ForestVIEW gives you the power to visualize, explore, query and analyze data spatially.

ForestVIEW is made by Atterbury Consultants, Inc. (ACI). We have been helping people solve forestry-related issues with computers for over 12 years.

You don't need to know how to create geographic data in order to use ForestVIEW although you will likely learn in order to fully use the capabilities of ForestVIEW. Geographic data sets are available from ACI and from various third parties to suit almost any requirement you might have.

Working spatially

ForestVIEW can be used by anyone who wants to work spatially. A key feature of ForestVIEW is that it's easy to load tabular data, such as dBASE files and data from database servers, into ForestVIEW so that you can display, query, summarize, and organize this data geographically.

In no time you'll be working with your data in a completely new way, seeing patterns you couldn't see before, understanding geographic relationships that were previously hidden, gaining new insights...and achieving new results for you and your business.

Views

With ForestVIEW you work with geographic data in interactive maps called views. Every view features ForestVIEW's unique geographic 'Table of Contents', making it easy to understand and control what's displayed. GIS has never been simpler!

Tables

Working with tabular data in ForestVIEW's tables puts you in control. Click on features on a view, and their records highlight in the table showing you their attributes. Select records in the table and the features they represent highlight on the view. ForestVIEW's tables also have a full range of features for obtaining summary statistics, sorting and querying.

Charts

ForestVIEW's charts offer a powerful business graphics and data visualization capability that is fully integrated into ForestVIEW's geographic environment. You can simply click on features on a view to add them to the chart. ForestVIEW lets you work simultaneously with geographic, tabular and chart representations of your data.

Layouts

ForestVIEW's layouts let you create high quality, full color maps by first arranging the various graphic elements on-screen the way you want them. You'll get great looking results on a wide range of printers and plotters. Layouts are smart because they have a live link to the data they represent. When you print a layout, any changes to the data are automatically included, so you know everything on your map will be up-to-date.

Projects

All the components of your ForestVIEW session: views, tables, charts, and layouts are conveniently stored in one file called a project. ForestVIEW's Project window shows you the contents of your project and makes it easy to manage all your work.

Sampling

Forests are generally too large and have too many trees for a 100% inventory of every tree. Limited time and money for cruising usually dictates that the population be sampled. Samples are collected that hopefully will represent the entire population. Sampling has to be done in a way that the answers are still reliable. Reliability comes only when the stratification is done properly, the acres are calculated correctly, the right sampling method is used, the trees are measured or estimated correctly, and data are properly extended to useful information.

There is always some risk of not having the right answer when sampling. Bias can cause a systematic distortion. This can be caused by using the wrong sampling system, bad measurements, or poor estimates. This can only be avoided by cruiser training and continually measuring all of the parameters all day, every day.

Accuracy means the estimates are close to the true values. Often, cruisers will measure one parameter, such as DBH with great precision, and guess all of the heights and have very inaccurate cruise. The measurement effort must be balanced among all parameters in all species to avoid bias and error.

The populations in forests are often variable. Every tree can have a different volume and balance and every acre a different volume and value. This variation is measured by installing a series of samples spread over the entire population.

SuperACE calculates and reports a "Statistical Summary" for each timber type. Variation and Standard Error are calculated for basal area, net cubic feet per acre, and net board feet per acre. The confidence limits are printed for each parameter for a given standard deviation. Usually foresters use one standard deviation, or that the average will fall in the confidence limits 67% of the time.

The statistical calculations are done after the cruise is complete. Rarely is it feasible to go back to the forest and take more samples. The cruiser must decide before starting the cruise, what kind of sampling system to use, what kind of plots to take, and how many plots to establish.

Stratifying the forest into homogeneous types usually brings the Coefficient of Variation in normal forests to around 50%. We have found that 30 to 40 proportional plots with an average of 4 to 6 trees per plot, or a total of around 150 sample trees will yield accurate answers that will cut-out around + or -10%, 67% of the time. Stands with more variation require more plots. Count plots should be used when the basal area per acre varies more than the volume per acre. Count plots only measure species and basal area per acre.

Common sense and a basic knowledge of the various sampling systems are more important than sampling theory.

Key To Timber Cruise Sampling Method

To use this key, make estimates based on observation, aerial photographs, comparable data and personal knowledge of the timber stand. Record the following stand conditions:

1. total height
2. average diameter
3. acres
4. stand structure

Start at the top of the key and review each of the conditions about the stand. Select the sampling method to which the key leads.

REFORESTATION CRUISES: (Trees up to 20 feet tall)

Stocking variable Variable Radius
Stocking even; density adequate..... Fixed Area

TIMBER CRUISES: (Trees over 20 feet)

FLIPS / SuperACE06™ User's Manual

Small area up to 10 acres

Area known

Small trees up to 8"	Fixed area
Few large trees.....	100 %
Many large trees.....	Strip or fixed

Area unknown

Few trees.....	100 %
Many trees.....	Strip

Larger area over 10 acres

Area known

Small trees up to 8"	Fixed area
Tree over 8"	Prism
Even aged stand with large tree overstory	Prism plots plus 100 %
Variable Stocking	Prism plus count plots
Homogeneous stand (Spp and DBH).....	Prism plus count trees

Area unknown.....	Strip
-------------------	-------

Sampling Methods

Reforestation Cruise

Reforestation surveys are used in stands with heights of less than 20 feet. Timber stands taller than 20 feet have measurable volume and should be sampled with a timber cruise program. Reforestation surveys are entered in the TC-Tree Input screen of SuperACE by placing **R1, R2, R3, R4** or **R5** in the **PF** column to indicate a fixed radius reforestation plot. Values are assigned to the R1 thru R5 factors on the type master screen. For example, if you're running a stocking survey with 1/100th acre plots, R1 is entered in the PF column for each tree record. In the type master screen a value of 11.78 (plot radius, in feet, for a 1/00th acre plot) is entered in the cell next to R1. Values for R2 thru R5 are left blank since only one plot radius was used in the survey. All blank plots must be recorded in order to calculate stocking. All blank plots must be recorded in order to calculate stocking. Blank plots are recorded by entering a plot number, species code and 0 in the **Ct.** column.

100 % Cruise

This is not a sampling method, but rather a complete or 100% cruise of the entire population. This is rarely feasible. Do not attempt a 100% cruise unless you are absolutely sure all trees can be identified and measured. A 100% cruise tree is entered in SuperACE by preceding the plot number with a dash (-). For example -001. Or, use **S1** in the **PF** column for the tree and assign a value of "1" in the type master screen.

Situations for use:

1. A cruise of one tree.
2. Marked trees along a right-of-way.
3. A few (less than 100) large scattered trees in a reproduction type which can be easily identified.
4. A few scattered, large trees of a merchantable type, which are usually a different species, age, and of high value; i.e., older Douglas-fir trees in a younger stand. The younger trees may be prism cruised while the more valuable Douglas-fir trees should be 100% cruised.

Advantages

FLIPS / SuperACE06™ User's Manual

1. No sampling.
2. Provides a record of every tree.

Disadvantages

1. 100% cruises are expensive. The higher costs must be justified by specific requirements which cannot be obtained otherwise.
2. Possibility of missing trees.
3. Possibility of cruising trees twice.

Strip Cruise

A strip cruise is a cruise of a percentage of the total type area or number of trees. Continuous strips are run through the tract at regular intervals. A strip cruise is entered in the tree input screen of SuperACE by entering **S1, S2, S3, S4** or **S5** in the **PF** column for each tree record. A strip cruise "blow-up" factor is entered as a whole number on the type master screen. For example, if each tree cruised represents 5 trees (a 20% cruise) then a "5" is entered next to S1 on the type master screen. Values for S2 thru S5 are left blank since only one strip "blow-up" factor was used in the cruise.

Situations for use:

1. Areas of unknown size.
2. Irregular shaped areas.
3. Irregular area with field around it.
4. Road right-of-way laid out in timber.
5. Narrow strip where powerline right-of-way is widened.
6. Brushy areas or areas with broken topography where prism cruising would not work.

Acreage's by types must be calculated with a strip cruise; however, they are only used to calculate volume per acre. The total volumes are calculated by multiplying the volume of each tree times the strip area factor.

There is no balancing of diameter and trees per acre as in a prism cruise. If the diameters are estimated too small in a strip cruise, the volume will be low.

Advantages

1. Strip cruises can avoid critical acreage errors in small units.
2. Blow-up factors can be independent of acreage.
3. Brushy areas with scattered trees can be cruised accurately.

Disadvantages

1. The entire tree distribution will be sampled, which may mean that many small trees will have to be recorded. These small trees add greatly to the cost of cruising but may not add to the volume and value.
2. An accurate baseline has to run completely through the number of strips for cruise % control.
3. Accurate strip widths placed at right angles to the baseline have to be constantly maintained with frequent checking of borderline trees. The strip center must be accurately marked in order to do this.

Fixed Area Plots

These are usually fixed circular plots of a certain size. These plots should be large enough to sample the population with an average of 5-10 trees per plot. The radius of the plot must be larger than the radius of the square of the actual stocking.

FLIPS / SuperACE06™ User's Manual

Plot Radius = sq.rt. (13,865.58*plot area)

Five fixed area plots can be nested in a plot. They are indicated on the plot card or data recorder with an **F1, F2, F3, F4** or **F5** in the **PF** column and the plot size defined on the type master screen. A plot radius is entered on the type master screen as decimal factor. For example, a ¼ acre plot is entered as 0.25.

Proportional Plots, Variable Radius Plots, Prism Plots

These are the most popular plots for cruising merchantable timber today. A BAF should be selected to yield an average of 5 trees per plot. Use the same BAF for the entire type or strata. SuperACE allows BAF of any number between 1 and 99.99. BAF that are whole numbers can be put directly in the **PF** column on the plot card or in the cruise input screen. BAF that have a decimal number are assigned in the type master screen and coded on the plot card or data recorder as **B1, B2, B3, B4, or B5**.

More than one BAF can be used in a type to sample various species or size groups.

Combination Sampling Systems

Types that have mixed species of extreme value, or a wide diversity in age or size, may have to be sampled with more than one system or plot size at the same time.

Nested plots can be used for many situations.

Merchantable stands, with a few scattered large trees, can be cruised with a BAF for the merchantable element and with a 100% or a strip used for the large trees.

Merchantable stands, containing a minor species of high value, can be cruised using a combination of prism for the major species and a strip cruise for the high value minor species.

Sampling Design and Intensity

1. Determine the accuracy needed for the project or each sampling unit (type). Prioritize the sampling intensity to the highest value, largest, nearest to operations or highest volume per acre.
2. Stratify the ownership into sampling units (types) or operational units that can be sampled. Each type may be sampled with a different method and intensity.
3. The number of plot and tree samples is a function of the needed accuracy and the variation with the sampling unit. Stratification can reduce the number of plots needed to satisfy accuracy. Statistical calculations of the samples will determine the actual sampling error. Estimating the number of plots needed for the accuracy comes more from experience than from statistical calculations before the sampling is started. Statistics from old cruises in an area can help in judging the number of plots that are required for a certain accuracy on types to be sampled. Average timber types have coefficient of variation of around 40 – 50% and can be sampled to about +/- 10% at 1 standard deviation with 30 to 40 plots. Proportional plots require about 4-6 trees average or 120 to 240 trees. Stands with more variation require more plots or trees. To reduce the error by half requires four times the samples.

Determine the number of sample trees per plot.

Proportional plots determine the BAF by estimating the basal area per acre and divide by 5 trees.

Example:

$$\text{BAF} = 100 \text{ sq. ft. per acre} / 5 \text{ trees} = 20$$

Fixed area plots estimate the trees per acre and divide by 10

Example:

$$\text{Plot Radius} = 200 \text{ trees per acre} / 10 = 20^{\text{th}} \text{ acre} = \text{plot radius of 26.33 feet.}$$

Determine plot spacing.

Square grid = sqrt ((43,560 x type acres) / (number of plots))

Example:

$$\text{Total acres} = 44 \quad \text{Plots} = 44$$

FLIPS / SuperACE06™ User's Manual

Square grid = $\sqrt{(43,560 \times 44) / (44)} = 208.71$ feet.

Acres per plot = $(\text{plot spacing})^2 / 43,560 = (208.71)^2 / 43,560 = 1.00$

Rectangular grid = Spacing between lines = $(\text{Acres} \times 43,560) / (\# \text{ plots} \times \text{distance between plots})$

Example:

Total acres = 44 Plots = 44 Distance between plots = 132'

Spacing between lines = $(44 \text{ ac.} \times 43,560) / (44 \text{ plots} \times 132') = 330'$

Acres per plot = $(\text{distance between plots} \times \text{spacing between lines}) / 43,560 = (132' \times 330') / 43,560 = 1.00$

Lay out the plot lines on the maps to cross drainages and other patterns that may cause the sample to be in error. The acres per plot should be multiplied by the number of plots in each type to check the acres calculations and the plot count.

Measure the results.

Statistical calculations should be computed for each type, the average for all types and possibly the standard error for the entire project. Cut-out records should be kept to check the actual against the estimated. Measurement errors must be considered. Measure the right things for quality results.

Data Input

TC - Dbh Cru/Cnt

The TC – Dbh Cru/Cnt screen is accessed via the **TC – Dbh Cru/Cnt** tab of the stand information screen. This screen gives a stand table summation based on the cruise data in the selected stand. It can also be accessed in the TC – Tree Input and TC – Tree Edit screens by clicking on the Stand Table button. The diameter class can be adjusted in the “Dia. Class” cell and the diameter class mid-point is defined in the “Round up on” cell. The changes take affect by pressing on the Enter button after entering the change. The other variable cells are not active at this time.

TC - Extra Tree Measurements

The TC – Extra Tree Measurements screen is accessed by clicking the **TC – Extra Tree Mea** tab of the stand information screen. This screen stores site tree measurements. The measurements include species, DBH, total ht., age code, BH age, total age, DBH growth, height growth, and bark thickness.

FI - History/Planning Screen

The History/Planning screen is accessed by selecting the **FI-History/Plan** tab on the stand information screen. It allows you to enter history or planning activities along with date, acres, cost/unit and units (A=Acres, M=MBF, C=CUNITS, T=TONS) associated with individual timber types in a project. Click on the History tab at the bottom of the History/Planning screen to enter information on stand history. Alternatively click on the Plan tab to enter information on planning for the stand.

FI - Land/Soils Screen

The Land/Soils screen is accessed by selecting the **FI - Land/Soils** tab of the stand information screen. It allows you to enter landform, soils, road construction, tax, seed zone, habitat, harvest system, stream class, and environmental information that needs to be associated with the stand.

TC - Plot Loc

The TC – Plot Loc screen is accessed via the **TC – Plot Loc** tab of the stand information screen. This screen allows the user to input, through keyboard or data recorder download, direction of travel, coordinates (state plane, latitude/longitude, or UTM system), slope, aspect, and habitat description for each cruise plot.

TC - Scaling

Under construction.

FI - Sort/Grade Screen

The Sort/Grade screen is accessed by clicking on the **FI – Sort/Grade** tab of the stand information screen. It is the most detailed view of the stand information. It is similar to both the Species Summary and Stand Table views of the stand data, except that it is broken down further into the individual sort and grade combinations for each species of a given log dib. It then includes the remaining information of logs per acre, Gross and Net Cubic Feet per Acre, and Gross and Net Board Feet per Acre.


FI - Spp Sum Screen

FI – Spp Summary Screen is accessed by clicking on the **FI – Spp Sum** tab on the stand information screen. The table that appears in this screen lists summarized information about the species in the stand. This information includes the species name, the average age, DBH, Site Index, Basal Area per Acre, Trees per Acre, Logs per Acre, Total Height, Gross and Net Cubic Feet per Acre, and Gross and Net Board Feet per Acre.

Stand Information Screen

Each stand in a project is accessed through a stand information screen. It is a collection of dialog screens that contain all the data associated with a given stand in a project. This includes stand information such as location, associated cost and price tables, cruiser name, etc.; tree details; stand history and planning; land and soils information; and GIS information. In this dialog the user can add or edit information via the Stand Input screen. It is also possible to move through the list of stands in the selected project using the four buttons, First, Previous, Next, and Last.

FI - Stand Input Screen

The FI - Stand Input screen is accessed by clicking the  button located on the opening screen tool bar after the desired stand has been selected. It can also be accessed by clicking on the **Stand Input** tab of the stand information screen. It is the screen where new stand data is entered. It includes Species, Status, Age, Birth Year, Site Index, Normality, Basal Area per Acre, Trees per Acre, DBH, Logs per Acre, Gross and Net Cubic Feet per Acre, and Gross and Net Board Feet per Acre. The attributes shaded in green (Spc, Age, site index, and Trees/AC) are the minimum stand attributes which must be entered in order to calculate a stand yield. If cruise data is present in SuperACE for the timber type, then the cruise data can be used to populate the Stand Input screen. This is performed by selecting the stand in the project screen, then selecting Cruise to Inventory under the File menu on the menu bar.

See Also
Creating a New Stand

FI - Stand Table

FI - Stand is the third tab of the stand information screen and is a detailed view of the stand information. It is similar to the FI - Species view of the stand data, except that each species is broken down by DBH. It then includes the remaining information of Site Index, Basal Area per Acre, Trees per Acre, Logs per Acre, Height per Tree, Gross and Net Cubic Feet per Acre, and Gross and Net Board Feet per Acre.

TC - Transect

Under construction.

TC - Tree Edit Screen

This screen is accessed by clicking the **TC – Tree Edit** tab of the stand information screen. It shows the data as it was entered in the **TC - Tree Input** screen along with the computed values and error messages for each log segment. This screen is used to edit the tree data that was entered in the TC - Tree Input screen. The tree data is edited directly into the screen cells and through the insert segment, delete segment, insert tree, delete tree, and replace buttons located at the bottom of the screen.

FLIPS / SuperACE06™ User's Manual

Computed (These fields are calculated automatically by the program.)

Cum Ht. – Cumulative Height – Height of segments including trim.

Top DOB – Top Diameter Outside Bark – The small end of the log, outside the bark, as specified in the scaling rule.

Top DIB – Top Diameter Inside Bark – The small end of the log, inside the bark, as specified in the scaling rule.

Net CuFT – The cubic feet in a log less defect deductions.

Net BdFt – The board feet in a log less defect deductions.

If a tree segment does not meet any of the parameters defined in the species or sort and grades tables an error message will appear in red to the right of the computed fields. Once the segment is edited the message will disappear.

TC - Tree Input Screen

The TC – Tree Input Screen is accessed by clicking on the **TC – Tree Input tab** of the stand information screen. It is this screen where timber cruise plot data is entered. The data is entered directly into the screen cells and through the insert tree, delete tree, and replace buttons located at the bottom of the screen.

Plot No. - Plot Number (required). A Four digit plot number, alpha/numeric, is assigned to each plot. Each plot in a timber type must have a unique number. Duplicate plot number will be computed as one plot. The program will check for duplicate plot numbers when you start entering a plot. Plot numbers should be pre-assigned when more than one cruiser is taking plots in a type.

Tree No. - Tree Number. A three digit numeric field. Tree number is assigned by the computer except when measuring permanent plots. Users input tree numbers when measuring permanent plots for growth and each tree is going to be measured more than once.

PF – Plot Factor or Prism Factor (required). A two digit alpha numeric field. When a two digit number is entered, the field is a Prism Factor or Basal Area Factor (i.e. 20 equals a 20 BAF). If a decimal value is used for a prism factor then a B1, B2, B3, B4 or B5 is entered with the prism factor value defined in the type master screen (i.e. B1 is entered in the PF column and 33.61 is entered next to B1 in the type master screen). Glass prisms should always be checked for the proper prism factor. A letter followed by a number (i.e. F1, R1 or S1) is referring to a Plot Factor in the type master screen. These refer to various sampling systems and plot sizes. If a cruiser requires that a tree be treated as a 100% cruise tree on a cruise plot, enter the tree on a plot with the plot number preceded by a dash (-).

Up to 5 options for each sampling system can be used:

System	Option	Example (As entered in the Cruise Master Screen)
Basal Area Factor:	B1 thru B5	B1 = 27.78
Fixed Area Plots:	F1 thru F5	F1 = 0.25 (One quarter acre plot)
Reforestation Plot Radius:	R1 thru R5	R1 = 11.78 (1/100 acre plot)
Strip Cruise Blowup:	S1 thru S5	S1 = 4.00 (25% strip cruise)

Identification

A. –Age (required): A one digit numeric field for age code. The age in years is input on the cruise master screen. Default age is code 1. Up to nine ages can be input per type. Age is used for calculating the tree form, bark factors, growth, and for age class reports. If no age is assigned, then a default age of 30 is used for volume calculations.

Spp. – Species (required): A six digit alpha/numeric field is provided for species. The numbers or letters must match the active species screen. A species table must be active before the cruise data is entered. Species is very important. It is usually not a good idea to group species. Each individual species should be entered on the species table with appropriate factors and limits.

St. – Status (optional): A one digit alpha/numeric field. Input must match codes in the status table. Status is used to indicate dead trees, etc.

FLIPS / SuperACE06™ User's Manual

Ct. – Count (optional): The tree count. A two digit numeric field is provided for tree count. Count plots are used to adjust the trees per acre for the trees on the cruise plot. Trees can be counted on the plots by species and diameter. Count plots can be used with BAF, fixed area plots, and strip cruises. Blank plots are entered as a count plot with a species code and a 0 in the Ct. column.

Measurements

DBH – Diameter Breast Height: This field is required when cruising volume plots and optional when cruising count and regeneration plots. DBH is a four digit numeric field, including the decimal point, is provided for diameter. This diameter is measured four feet or 1.3 meters above the stump outside the bark. Diameters less than 99.9 inches can be input to the nearest tenth inch. Trees larger than 100 inches are input to the nearest inch.

FP – Form Point (required) – A two digit numeric field is provided for form point. Default is DBH (four feet above the stump). Form point is where Form Factor is measured and/or where the tree taken “in” with a BAF. If form point is defined as four feet, the program will automatically use a form point of 16 feet to calculate Form Factor. Form point can be varied for each tree if needed.

FF – Form Factor (required) – A two digit numeric code. Form factor is the percent relationship of the diameter at Form Point (16 feet) divided by the DBH. Default values for Form Factor by species are input on the species screen. If no form factor is entered, the form factor from the species table will be used.

TD – Top Diameter (required). A one digit alpha/numeric field. Top diameter is the diameter outside the bark at the top of the bole. This is entered as a single digit percent value or as an alpha value for diameter. As shown below.

Top Diameter Fractions of FP

TDF = top dia. / dia. at Form Point

Code = % of diameter at FP

0 = Total Height
 1 = 10%
 2 = 20%
 3 = 30%
 4 = 40%
 5 = 50%
 6 = 60%
 7 = 70%
 8 = 80%
 9 = 90%

Top Diameters

Alpha Codes

Code = Inches Centimeters

A = 1 2.5
 B = 2 5.0
 C = 3 7.5
 D = 4 10.0
 E = 5 12.5
 F = 6 15.0
 G = 7 17.5
 H = 8 20.0
 I = 9 22.5
 J = 10 25.0
 K = 11 27.5
 L = 12 30.0
 M = 13 32.5

Top Diameters

Alpha Codes

Code = Inches Centimeters

N = 14 35.0
 O = 15 37.5
 P = 16 40.0
 Q = 17 42.5
 R = 18 45.0
 S = 19 47.5
 T = 20 50.0
 U = 21 52.5
 V = 22 55.0
 X = 23 57.5
 W = 24 60.0
 Y = 25 62.5
 Z = 26 65.0

Bole Ht. – Bole Height (required)– A three digit numeric field. Bole height is the distance from the stump to the Top Diameter Fraction or the Top Diameter outside the bark to the nearest foot.

Tot Ht. – Total Height (optional) – A three digit numeric field. Total height is the distance from the stump to the tip of the tree. Maximum tree height for a species is input on the species screen. Bole height and tree height can be entered individually or together. If a “0” (zero) is entered in the TD cell then the Bol Ht value will be automatically copied to the Tot Ht cell.

Classification (optional)

Po (T1) – Position

O = over-story – Older age trees, usually residual
 D = dominant
 C = co-dominant
 I = intermediate
 S = suppressed
 U = under-story – younger trees than the main canopy

FLIPS / SuperACE06™ User's Manual

CR (T2) – Crown Ratio percent of the tree length with canopy.

- 1 = 10%
- 2 = 20%
- 3 = 30 %
- 4 = 40%
- 5 = 50%
- 6 = 60%
- 7 = 70%
- 8 = 80%
- 9 = 90%

Vi (T3) – Vigor

- H = healthy, living tree, may have damage
- M = alive, but damaged and/or is not normal.
- D = dying

Da (T4) – Damage

- A = animal damage, unknown species
- B = bear
- C =
- D = deer
- E =
- F = fire
- G =
- H =
- I = insects
- J = J rooted when planted
- K =
- L =
- M =
- N =
- O =
- P =
- Q =
- R =
- S =

T5 – other

Segments - Up to 12 Segments can be described for each tree (required for volume calculation).

S# - Segment number – two digit automatically assigned by the program. This includes cull segments, breakouts and logs.

S – Sort – A single alpha or numeric code as described in the active sort/grade table.

G – Grade – A single alpha or numeric code as described in the active sort/grade table.

Ln – Segment length. Two digit numeric. On the final log segment of a tree, a “-” may be entered instead of a numeric length. If a “-” is entered, the program will compute the length of the segment to the minimum top diameter. Log length min and max are defined in the species, sort and grade tables.

Bd. Ft. F. – Board Foot length deductions.

I. – Board Foot diameter deductions

FLIPS / SuperACE06™ User's Manual

- Cu. Ft. F.** – Cubic Foot length deductions
- I.** – Cubic Foot diameter deductions

% – Numeric field left blank when using length or diameter deductions. A 1 is entered when percentage deductions for both board foot and cubic feet are to be used. Percentages are entered as whole numbers in the **F. I.** cells of a tree segment (i.e. 10 equals 10% and 05 equals 5%).

Type Master Screen

The screen is accessed by double clicking on the gray area to the left of the TWN number. This screen contains all the inventory and cruise information associated with a given type (stand) in a distinct township, range, and section location. This includes information such as location, tract name, type number, stand size, cost and price tables, cruiser name, site index, BAF, age, etc. A master is either created by hand entering values, or by copying or exploding a stand. The master is the first screen that appears when the stand information screen is opened.

See Also
Stand Information Screen

How To

Add and Remove ZM, ZP Types

The purpose of ZM and ZP types is to adjust section acres to match legal acres for sections which have legal acres listed in the ownership list by adding a ZM or ZP type to a section. The original type acres in a section are not affected by the process. A ZM type (minus acres) will reduce section acres to equal legal acres for a section. A ZP type (plus acres) will add acres to a section to equal the legal acres for a section. The adjustment is automatic.

To add ZM,ZP types:

1. Select the Project you wish to adjust.
2. From the menu bar select **Ownership**.
3. Select **Add ZM, ZP Types** from the drop down menu.
4. ZM and ZP types are added automatically.

To remove ZM, ZP types:

1. Select the Project you wish to adjust.
2. From the menu bar select **Ownership**.
3. Select **Remove ZM, ZP Types** from the drop down menu.
4. ZM and ZP types are removed.

Adjust Timber Cruise Volume

Timber cruise volumes can be adjusted over an entire project or individual stands. These adjustments only occur when a cruise report is run. The original cruise data is not effected. If an adjustment is applied then the name of the adjustment table is displayed in the **Cru Adj** window on the stand information screen.

1. From the menu bar select either **project** or **stand**, depending on the level of adjustment.
2. Choose **adjustments** from the drop down menu.
3. The adjustments dialog screen appears.



4. Select **Cruise** and **Volume Adjustment**.
5. Click on the **Adjustment Table** button in order to edit the adjustment parameters or to create a new adjustment table.
6. In the adjustment pull down window select the table you wish to run the adjustments against.
7. Click **OK**
8. From the cruise reports selection screen, select the report to run and check the **Apply Cruise Adjustments** box at the bottom of the screen.
9. Click the **Process** button.
10. The volumes calculated in the reports will include the adjustments.

See Also
Adjustment Tables

Adjust Inventory Volumes

Timber inventory volumes can be adjusted over an entire project or individual stands. Volume adjustments are applied to the original inventory data. Therefore, stands that have been adjusted must be grown in order to calculate the results of the adjustments. If an adjustment is applied then the name of the adjustment table is displayed in the **Inv Adj** window on the stand information screen. Caution should be used when applying adjustments.

1. From the menu bar select either **project** or **stand**, depending on the level of adjustment.
2. Choose **adjustments** from the drop down menu.
3. The adjustments dialog screen appears.




4. Select **Inventory** and **Volume Adjustment**.
5. Click on the **Adjustment Table** button in order to edit the adjustment parameters or to create a new adjustment table.
6. In the adjustment pull down window select the table you wish to run the adjustments against.
7. Click **OK**
8. Original inventory volumes are adjusted according to parameters set in the adjustment table.

See Also
Adjustment Tables

Adjust Site Index

Site index can be adjusted for inventory data over an entire project or individual stands. Site index adjustments are applied to the original inventory data. Therefore, inventory stands that have been adjusted must be grown in order to calculate the results of the adjustments. If an adjustment is applied then the name of the adjustment table is displayed in the **INV** window on the stand information screen. Caution should be used when applying adjustments.

1. From the menu bar select either **project** or **stand**, depending on the level of adjustment.
2. Choose **adjustments** from the drop down menu.
3. The adjustments dialog screen appears.



4. Select **Inventory** and **Site Index Adjustment**.
5. Click on the **Adjustment Table** button in order to edit the adjustment parameters or to create a new adjustment table.
6. In the adjustment pull down window select the table you wish to run the adjustments against.
7. Click **OK**
8. Original site index values are adjusted according to parameters set in the adjustment table.

See Also
Adjustment Tables

Assign Tables to a Project

Each project has four primary groups of tables associated with it: Species, Sort/Grade, Price, and Cost tables (screens). At any time, the project may refer to any one of a number of different tables, within each of these primary groups.

There are two methods to set default tables. The first method is the recommended procedure.

Method One:

1. Choose **Defaults** from the **Setup** drop down menu.
2. The defaults screen appears.
3. If the Tables screen isn't visible click on the tables tab.
4. Click in the field next to the table category you wish to change.
5. Use the drop list arrow button to show a list of available tables
6. Click on the table you require.
7. Click OK.

Method Two:

1. Choose **Tables** from the menu bar
2. From the drop down menu choose a table category.
3. Click on the table name you require in the upper left corner of the screen.
4. Click the **Make Default** button.

5. Close the Tables screen.

Backup a Project

Backing up data is recommended after any significant changes have been made to a project. The data is stored in a zip file format (i.e. filename.zip) and can be saved to a hard drive, tape drive, zip drive, or floppy disks. The zip file contains the data in an Access file format and has an MDB extension (i.e. filename.mdb).

Select the **Backup\Restore** option in the **File** drop down menu.

1. Backup\restore dialog screen appears.
2. Select the tab labeled **Backup**.
3. Select a project to backup from the project list window.
4. Type or browse to where you want it stored (i.e. hard drive or floppy disk).
5. Check the boxes if you want to include tables and multi volume in backup.
6. Click OK.

See Also

Restore a Project

Change Communication (COM) Ports

When the software is installed, **com port 1** is set as the default serial port for communication between the PC software and data collector software. It may be necessary to change this setting on some PC's due to other input devices utilizing com port 1 (i.e. mouse). The com port settings are stored in the **flips.ini** file which is located under the **C:\windows** directory (Windows 98), **C:\Winnt** directory (Windows 2000/XP).

To change the com port setting:

1. Open the flips.ini file using notepad or an editor software application.
2. The file will look similar to this:

```
[Directories]
FlipsDir=C:\FLIPS04\
CurrDB=C:\FLIPS04\DEMO\DEMO.mdb
CurrDataDir=C:\FLIPS04\DEMO
[Setup]
ID=3CE3 4018
CruFlag=1
InvFlag=1
Company=***
ComPort=1
ConvBoise=1
Customer=DEMO
ReportWeyco=1
ReportMB=1
ReportBoise=1
ReportHampton=1
[ForestVIEW]
PassDataDir=C:\FV37
[Project]
CurrProject=DEMO
```

3. Near the bottom of the **[Setup]** section is the statement "**ComPort=1**".
4. Simply change the "1" to a different com port number (i.e. ComPort=2).
5. Save the flips.ini file and close.
6. Communications will now utilize the new com port setting.

Change Report Parameters

Report parameters are accessed by choosing **Reports** on the opening menu bar. Then choose **Parameters** and Log Stock Table or Project Summary by Species, Sort, Grade from the drop down menu. Assign min. and max. values as needed and click **OK**. All cells must have a value.

Change Species, Sort or Grade Codes

Situations may arise where it will become necessary to change species, sort or grade codes in a type or project. An example would be if a cruiser mistakenly used a different set of species, sort or grade codes than the other cruisers on a cruise job. In order to make all the data consistent, the cruiser's codes will need to be changed before the data can be processed. Instead of editing each tree entry one at a time the codes can be changed globally on a stand or project by using the **Change Species, Sort, Grade** option under **Project** and **Stand** on the menu bar. Codes can be changed in SuperACE only.

Change Species, Sort or Grade at the PROJECT Level

1. Select the project to be processed.
2. Click on **Project** from the menu bar.
3. Click on **Change Species, Sort, Grade** from the Project menu.
4. The following screen appears.

Species		Sort		Grade	
Old	NEW	Old	NEW	Old	NEW
DF		8		1	
RA		9		2	
WH		D		3	
		J		4	
		K		9	

The codes shown under the "Old" column are the current codes assigned to the data.

5. Under the "NEW" column enter the codes that are to replace the old codes. If an old code is still to be used, leave the new cell blank. Each time a code is entered in a cell, be sure to hit the enter key.
6. Be sure that the new codes are consistent with the tables associated with the project. After all the entries have been made click on the **OK** button.
7. The codes are now changed for the whole project.

Change Species, Sort or Grade at the STAND Level

1. Select the stand to be processed.
2. Click on **Stand** from the menu bar.

3. Click on **Change Species, Sort, Grade** from the Stand menu.
4. Follow steps 4 through 6 from above.
5. The codes are now changed for the selected stand.

Change a Tract Name

Use the following method If you have a stand or stands in which the tract name needs to be edited or changed.

1. Backup your data.
2. Select a stand or stands with a tract name that requires editing.
3. Choose **Maintenance** from the **Stand** drop down menu. The Stand Maintenance dialog screen appears.
4. Select **Copy** and **Cruise** or **Inventory** from the **Options** area of the dialog screen.
5. Copy the stand(s) to a new temporary project by filling in the **Destination Project** and **Destination Directory** of where the temporary project is to be stored.
6. Choose the **Type** tab at the bottom of the dialog screen if a single stand is to be copied, or select **Section/Tract** if the types associated with an entire section or tract are to be copied.
7. In the **Destination** area of the table in the dialog screen, change the **Tract** name as needed. If the stand is to be linked to ForestVIEW, the tract name can not exceed eight characters.
8. Click **OK**. The stand(s) are copied with the tract name changes into the temporary project.
9. Select the temporary project and verify that the stand(s) data has been copied correctly.
10. Select the original project and delete the original stand(s).
11. Select the temporary project and repeat steps 3 through 4.
12. Fill in the **Destination Project** and **Destination Directory** of the original project.
13. Click **OK**.
14. Select the original project and verify that the stand(s) data has been copied correctly.
15. Once you have verified that all the data has been copied correctly, you can delete the temporary project.

Copy Cruise Plots

1. Select a Stand.
2. Click on **Stand** on the opening screen menu bar.
3. Choose **Plot Maintenance** from the drop down menu.
4. The **Plot Maintenance** dialog screen appears.
5. Confirm that original project and type are correct.
6. Check the **copy** option in the options area of the screen.
7. In the **Destination** area, fill in the legal description and type number of where the plots are to be copied.
8. Browse to the **Destination directory** of where the project is you want to copy to.
9. Choose a project (it can be within the same project) or enter the name of a new project.
10. Select the plots to be copied by selecting the cells of the plot numbers you want copied.
11. Click **OK**.

See Also

Delete Cruise Plots

Copy a Project

1. Choose **Maintenance** from the **Project** drop down menu. The Project Maintenance dialog appears.
2. In the **Original** window enter the name of the project you are copying from.
3. In the upper **Destination** window enter the name of the destination project.
4. In the lower **Destination** window use the browse button and browse to the directory where the destination project is stored.
5. Select **Copy** in the options section and either **Cruise** or **Inventory**.

6. Click **OK**.

See also

Copy a Stand
Delete a Project
Delete a Stand

Copy a Stand

1. Select a stand to copy.
2. Choose **Maintenance** from the **Stand** drop down menu. The Stand Maintenance dialog appears.
3. Select **Copy** and **Cruise** or **Inventory** from the **Options** area of the dialog.
4. Fill in the **Destination Project** and **Destination Directory**.
5. Choose the **Type** tab at the bottom of the dialog if a single stand is to be copied, or select **Section/Tract** if the types associated with an entire section or entire tract are to be copied.
6. In the Destination area of the table in the dialog screen, change Twn, Rge, Sec, Tract and Type information as needed. If only the tract name is to be edited, follow the directions in the on-line help for changing a tract name.
7. Click **OK**. The new stand is created in the new location.

See also

Change a Tract Name
Delete a Stand
Explode a Stand

Create or Add a Project

Build a new project from scratch or add an existing project.

1. Choose **New Project** from the **Project** menu. The Add/Edit Dialog box appears.
2. Set the path and directory for the project file in the **Directory** box.
3. Fill in the **Project** box with a new project name up to 8 alphanumeric characters long or choose an existing project from the drop down window to add a project.
4. Enter optional information in the **Project Information** section of the screen then click on the Save button.

Create a New Stand

In FLIPS, it is easy to create a stand by using the **New Master** dialog screen.

1. Select **New Stand** from the **Stand** drop down menu.
2. The new master dialog screen appears.
3. The Twn., Rge., Sec., Tract, Type and Acres fields must be defined. Other fields are filled as needed to describe the stand.
4. Click **OK**.
5. The new stand appears on the stand list screen.

See Also

Stand Input Screen

Create a New Table

If the table needed for a project does not already exist in the system, you may create a new one. A table may be created by either typing the information one cell at a time, or by copying and editing a table that already exists.

1. Choose **Tables** from the menu bar.
2. Choose a table category from the pull down menu.
3. Click the **New Table** tool button. The **New Table** dialog appears.
4. Select a **Table Type** from the drop down list of tables.
5. Name the table in the **New Table** box and click **OK** to begin entering table data.
6. If copying the table, choose the most similar table from the **Copy from Table** list of available tables and edit it appropriately.

Note that information can be cut and pasted from other Excel tables to fill in the new table information.

Delete a Project

Note: You cannot delete a project if it is currently active. You must first make another project active, then exit and reenter the program.

1. Choose **Maintenance** from the **Project** drop down menu. The Project Maintenance dialog appears.
2. In the **Original** window enter the name of the project you are deleting. Select **Delete** in the options section.
3. Click **OK**. The project is now deleted from the harddrive.

See also

Copy a Project

Copy a Stand

Delete a Stand

Delete a Stand

It is easy to delete any selected stand or delete several stands by type, section, or tract name.

1. Select a stand to delete
2. Choose **Stand Maintenance** from the **Stand** drop down menu. The Stand Maintenance dialog appears.
3. Select **Delete** from the Options area of the dialog.
4. Choose the Type tab at the bottom of the dialog if a single stand is to be deleted, or select Section/Tract if the types associated with an entire section or entire tract are to be deleted.
5. Click **OK**.

See also

Explode a Stand

Copy a Stand

Delete a Table

1. Choose **Tables** from the menu bar.
2. Click the **Delete Table** tool button.
3. Choose the table category wish to delete from the left area of the table delete window.
4. Choose the name to the table you wish to delete from the right area of the table delete window.
5. Click **OK**.

Note: A table cannot be deleted if it is currently the active table.

See Also

Create a New Table

Edit a Table

Delete Cruise Plots


1. Select a Stand.
2. Click on **Stand** on the opening screen menu bar.
3. Choose **Plot Maintenance** from the drop down menu.
4. The **Plot Maintenance** dialog screen appears.
5. Check the **delete** option in the options area of the screen.
6. Confirm that original project and type are correct.
7. Select the plots to be **deleted** by selecting the cells of the plot numbers you want copied.
8. Click **OK**.

See Also
Copy Cruise Plots


Download Data from Pocket SuperEASY™ to SuperACE 06™

After returning from the field the cruise data can be easily transferred to SuperACE 06™ for editing and reporting. You can transfer an entire project and the associated types or you can transfer individual type(s) from a project.

1. In the Pocket SuperEASY™ Project Screen tap in the box next to the project or type(s) that you want to transfer to make a check mark appear in the box.




2. Tap on the **Utl** option at the bottom of the Project Screen and select **Transfer Checked files to SA06**.



FLIPS / SuperACE06™ User's Manual


3. Make sure that the mobile device is "synced" with the PC.
4. In SuperACE 06™ select from the menu bar **File, Import, Cruise Files from Windows Mobile Device**.




5. Click Copy Data from Device on the following screen.




6. You will be prompted when the transfer is complete. Click OK.



7. The following window will open allowing you to specify where the cruise data is to be stored on the PC. Click Process after choosing the destination directory for your cruise data. Note: on some laptops and PCs this screen may appear on the taskbar at the bottom of the computer screen and will need to be restored to view it.



8. You will be prompted when the transfer is complete. Click OK.



The cruise project is now available for selection from the Project Selection screen in SuperACE 06™ for accessing and reporting on the cruise data.


Download Tables to Pocket SuperEASY™

FLIPS / SuperACE06™ User's Manual

After creating the Species, Sort and Grade tables in SuperACE 06™ to be used on a cruise project, the tables can be transferred to Pocket SuperEASY™ for use in the field.

Transferring Tables:


1. Make sure that the mobile device is "synced" with the PC.
2. Open SuperACE 06™ on the PC.
3. In SuperACE 06™ make sure that the Species, Sort and Grade tables that are to be transferred are set as the active tables.
4. From the menu bar select **File, Export, Tables to Windows Mobile Device.**




5. The following screen appears. Click on Copy Tables to Device




6. The following screens appear when the process and transfer is complete. Click OK on both.



7. In Pocket SuperEASY™ tap on the **Utl** option at the bottom of the Project screen and select **Receive Tables (send from SA first)**.



8. Tap in the box next to the tables you wish to transfer to make a check mark appear.



9. Tap Process.

The tables are transferred and can now be viewed and edited in Pocket SuperEASY™

Download Data from a CMT Unit

1. Connect download cable to com port 1 on the PC (default setting in SuperACE) and to com port 1 on the CMT.
2. Select **file** from the opening menu of SuperACE and choose **import** from drop down menu.
3. Select **SuperACE from handheld**.
 - On CMT enter '7' to select **Communications** option.
 - Enter '1' for **Send Data**.
 - Use arrow keys to select the project to send.
 - Select the type(s) in the selected project to send.
 - Press the **F2** key to initiate the transfer.
4. After the transfer process is complete, a dialog screen appears in SuperACE in which the destination of the data is entered.
5. The cruise project is now listed in the project screen.

Download Tables From PC to CMT Unit

1. Connect download cable to com port 1 on the PC (default setting in SuperACE) and to com port 1 on the CMT.
2. Select **file** from the opening menu of SuperACE and choose **export** from drop down menu.
3. Select **Tables to handheld**, the mouse pointer turns into an hour glass.
 - On CMT enter '7' to select **Communications** option.
 - Enter '2' for **Recv Tables**.
 - Enter a 'Y' next to the tables to be received.
 - Press the **F2** key to initiate the transfer.
4. After the transfer process is complete, the hour glass turns into a plus sign and the CMT screens returns to communications screen.
5. The tables are now on the CMT unit.

Edit Plot Data

This screen is accessed by clicking the **TC – Tree Edit** tab of the stand information screen. It shows the data as it was entered in the **TC - Tree Input** screen along with the computed values and error messages for each log segment. This screen is used to edit the tree data that was entered in the TC - Tree Input screen. The tree data is edited directly into the screen cells and through the insert segment, delete segment, insert tree, delete tree, and replace buttons located at the bottom of the screen.

FLIPS / SuperACE06™ User's Manual

Computed (These fields are calculated automatically by the program.)

Cum Ht. – Cumulative Height – Height of segments including trim.

Top DOB – Top Diameter Outside Bark – The small end of the log, outside the bark, as specified in the scaling rule.

Top DIB – Top Diameter Inside Bark – The small end of the log, inside the bark, as specified in the scaling rule.

Net CuFT – The cubic feet in a log less defect deductions.

Net BdFt – The board feet in a log less defect deductions.

If a tree segment does not meet any of the parameters defined in the species or sort and grades tables an error message will appear in red to the right of the computed fields. Once the segment is edited the message will disappear.

Edit Project

Editing a project allows the user to change basic project information such as customer name, address, phone number, etc.

1. Select a project to edit.
2. From the **Project** drop down menu, choose **Edit Project**. The Add/Edit Project dialog appears.
3. Alter any customer information by clicking the cursor in the appropriate box and changing to the correct information.
4. Click OK.

Edit Tables

The primary tables associated with a project can easily be accessed and edited.

1. Choose **Tables** from the opening menu, then select **Tables** from the Tables menu.
2. Select the Table type and desired Table to be edited.
3. Write over the appropriate information in the required cells.

Note that you may cut and paste information from an Excel spreadsheet into a table.

See Also

Create a New Table

Delete a Table

Enter Plot Data

The TC – Tree Input Screen is accessed by clicking on the **TC – Tree Input tab** of the stand information screen. It is this screen where timber cruise plot data is entered. The data is entered directly into the screen cells and through the insert tree, delete tree, and replace buttons located at the bottom of the screen.

Plot No. - Plot Number. A Four digit plot number, alpha/numeric, is assigned to each plot. Each plot in a timber type must have a unique number. Duplicate plot number will be computed as one plot. The program will check for duplicate plot numbers when you start entering a plot. Plot numbers should be pre-assigned when more than one cruiser is taking plots in a type. Plot Number –000 means the tree on the line is a 100% cruise and the tree volume will be added separately to a plot cruise. A strip cruise value of 1.00 does the same thing.

Tree No. - Tree Number. A three digit numeric field. Tree number is assigned by the computer except when measuring permanent plots. Users input tree numbers when measuring permanent plots for growth and each tree is going to be measured more than once.

FLIPS / SuperACE06™ User's Manual

PF – Plot Factor or Prism Factor. A two digit alpha numeric field. When a two digit number is entered, the field is a Prism Factor or Basal Area Factor (i.e. 20 equals a 20 BAF). If a decimal value is used for a prism factor then a B1, B2, B3, B4 or B5 is entered with the prism factor value defined in the type master screen (i.e. B1 is entered in the PF column and 33.61 is entered next to B1 in the type master screen). Glass prisms should always be checked for the proper prism factor. A letter followed by a number (i.e. F1, R1 or S1) is referring to a Plot Factor in the type master screen. These refer to various sampling systems and plot sizes.

Up to 5 options for each sampling system can be used:

System	Option	Example (As entered in the Cruise Master Screen)
Basal Area Factor:	B1 thru B5	B1 = 27.78
Fixed Area Plots:	F1 thru F5	F1 = 0.25 (One quarter acre plot)
Reforestation Plot Radius:	R1 thru R5	R1 = 11.78 (1/100 acre plot)
Strip Cruise Blowup:	S1 thru S5	S1 = 4.00 (25% strip cruise)

Identification

A. –Age (required): A one digit numeric field for age code. The age in years is input on the cruise master screen. Default age is code 1. Up to nine ages can be input per type. Age is used for calculating the tree form, bark factors, growth, and for age class reports. If no age is assigned, then a default age of 30 is used for volume calculations.

Spp. – Species (required): A six digit alpha/numeric field is provided for species. The numbers or letters must match the active species screen. A species table must be active before the cruise data is entered. Species is very important. It is usually not a good idea to group species. Each individual species should be entered on the species table with appropriate factors and limits.

St. – Status (optional): A one digit alpha/numeric field. Input must match codes in the status table. Status is used to indicate dead trees, etc.

Ct. – Count (optional): The tree count. A two digit numeric field is provided for tree count. Count plots are used to adjust the trees per acre for the trees on the cruise plot. Trees can be counted on the plots by species and diameter. Count plots can be used with BAF, fixed area plots, and strip cruises. Blank plots are entered as a count plot with a species code and a 0 in the Ct. column.

Measurements

DBH – Diameter Breast Height: This field is required when cruising volume plots and optional when cruising count and regeneration plots. DBH is a four digit numeric field, including the decimal point, is provided for diameter. This diameter is normally at 4.5 feet above the ground on the uphill side of the tree. This diameter is measured four feet or 1.3 meters above the stump outside the bark. Diameters less than 99.9 inches can be input to the nearest tenth inch. Trees larger than 100 inches are input to the nearest inch.

FP – Form Point (required) – A two digit numeric field is provided for form point. Default is DBH (four feet above the stump). Form point is where Form Factor is measured and/or where the tree taken “in” with a BAF. If form point is defined as four feet, the program will automatically use a form point of 16 feet to calculate Form Factor. Form point can be varied for each tree if needed.

FF – Form Factor (required) – A two digit numeric code. Form factor is the percent relationship of the diameter at Form Point (16 feet) divided by the DBH. Default values for Form Factor by species are input on the species screen. If no form factor is entered, the form factor from the species table will be used.

TD – Top Diameter (required). A one digit alpha/numeric field. Top diameter is the diameter outside the bark at the top of the bole. This is entered as a single digit percent value or as an alpha value for diameter. As shown below.

Top Diameter Fractions of FP
TDF = top dia. / dia. at Form Point

Code = % of diameter at FP
0 = Total Height
1 = 10%
2 = 20%

Top Diameters
Alpha Codes

Code = Inches Centimeters
A = 1 2.5
B = 2 5.0
C = 3 7.5

Top Diameters
Alpha Codes

Code = Inches Centimeters
N = 14 35.0
O = 15 37.5
P = 16 40.0

FLIPS / SuperACE06™ User's Manual

3 = 30%	D = 4	10.0	Q = 17	42.5
4 = 40%	E = 5	12.5	R = 18	45.0
5 = 50%	F = 6	15.0	S = 19	47.5
6 = 60%	G = 7	17.5	T = 20	50.0
7 = 70%	H = 8	20.0	U = 21	52.5
8 = 80%	I = 9	22.5	V = 22	55.0
9 = 90%	J = 10	25.0	X = 23	57.5
	K = 11	27.5	W = 24	60.0
	L = 12	30.0	Y = 25	62.5
	M = 13	32.5	Z = 26	65.0

Bole Ht. – Bole Height (required)– A three digit numeric field. Bole height is the distance from the stump to the Top Diameter Fraction or the Top Diameter outside the bark to the nearest foot or meter.

Tot Ht. – Total Height (optional) – A three digit numeric field. Total height is the distance from the stump to the tip of the tree. Maximum tree height for a species is input on the species screen. Bole height and tree height can be entered individually or together.

Classification (optional)

Po (T1) – Position

- O = over-story – Older age trees, usually residual
- D = dominant
- C = co-dominant
- I = intermediate
- S = suppressed
- U = under-story – younger trees than the main canopy

CR (T2) – Crown Ratio percent of the tree length with canopy.

- 1 = 10%
- 2 = 20%
- 3 = 30 %
- 4 = 40%
- 5 = 50%
- 6 = 60%
- 7 = 70%
- 8 = 80%
- 9 = 90%

Vi (T3) – Vigor

- H = healthy, living tree, may have damage
- M = alive, but damaged and/or is not normal.
- D = dying

Da (T4) – Damage

- A = animal damage, unknown species
- B = bear
- C =
- D = deer
- E =
- F = fire
- G =
- H =
- I = insects
- J = J rooted when planted
- K =
- L =

FLIPS / SuperACE06™ User's Manual

M =
N =
O =
P =
Q =
R =
S =

T5 – other

Segments - Up to 12 Segments can be described for each tree (required for volume calculation).

S# - Segment number – two digit automatically assigned by the program. This includes cull segments, breakouts and logs.

Ln – Segment length. Two digit numeric. Log length min and max are input on species, sort and grade tables.

S – Sort – A single alpha or numeric code as described in the active sort/grade table.

G – Grade – A single alpha or numeric code as described in the active sort/grade table.

Bd. Ft. F. – Board Foot length deductions.

I. – Board Foot diameter deductions

Cu. Ft. F. – Cubic Foot length deductions

I. – Cubic Foot diameter deductions

% – Numeric field left blank when using length or diameter deductions. A **1** is entered when percentage deductions for both board foot and cubic feet are to be used. Percentages are entered as whole numbers (i.e. 10 equals 10% and 05 equals 5%).

Explode a Stand

Exploding a stand involves copying all information (tree details, soils, sort/grade, etc) associated with that stand or type. There are two possible methods for exploding a stand. The first, using the Copy option in stand maintenance, allows one copy of any selected stand to be created. The second, exploding a stand, has the ability to make multiple copies of the same stand. This topic deals with the second method, exploding a stand. Note that this method is frequently used when a type falls into adjacent sections or even townships and ranges. Rather than recreate the type information for each location of the type, it is much faster to explode (copy) it and simply change the location and acreage information.

Explode a Stand to a New Project

1. Select a stand to copy.
2. Choose **Explode a Stand** from the **Stand** menu. The Stand Explode dialog appears.
3. Type in the new project name in the Destination Project box.
4. Enter the path to the project in the Destination Directory box.
5. Change the Twn, Rge, Sec, Type, and Acres areas of the table as needed. Note that each time information is entered into the bottom row of the table, a new line appears. This allows the user to continue to copy the type in new locations.
6. Click OK. The type is created in the new project.

Explode a Stand to an Existing Project

1. Select a stand to copy.
2. Choose **Explode a Stand** from the **Stand** menu. The Stand Explode dialog appears.
3. Type in the project name in to which the types are being exploded into the Destination Project box.
4. Enter the path to the project in the Destination Directory box.
5. Change the Twn, Rge, Sec, Type, and Acres areas of the table as needed. Note that each time information is entered into the bottom row of the table, a new line appears. This allows the user to continue to copy the type in

new locations.

6. Click OK. The type is created in the project.

Explode a Stand within the Same Project


1. Select a stand to copy.
2. Choose **Explode a Stand** from the **Stand** menu. The Stand Explode dialog appears.
3. Change the Twn, Rge, Sec, Type, and Acres areas of the table to the appropriate information. Note that each time information is entered into the bottom row of the table, a new line appears. This allows the user to continue to copy the type in new locations.
4. Click OK. The type is created in the new locations.

See also

Copy a Stand

Delete a Stand

Export a Report\Graph

After running a report, you can export a report or graph by clicking on the  button in the report preview window. Next, select the file format you wish the report\graph to be exported in. Then select the destination of the file and click **OK**. This will bring a browse tree screen to browse to the drive and directory where you want to store the file.

See Also

Run a Report

Find a Stand

It's easy to find a stand by using the **Find Type** dialog screen.

1. Select **Find** under the **Stand** drop menu.
2. The find type dialog screen appears.
3. Enter as many fields as needed to find the appropriate stand.
4. Click OK
5. The desired stand is highlighted on the stand list screen.

Grow a Project

A project may be grown either forward or backward to a user-specified month and year. The growth routine uses original stand data as its basis even when the project has been grown multiple times.

1. Select a project.
2. Choose **Grow** from the **Project** menu bar. The Growth dialog appears.
3. Fill in the Grow to Month and Grow to Year boxes.
4. Click **OK**. The project is grown forward or backward depending on the month and year chosen.

See also

Grow a Stand

Grow a Stand

A stand or stands may be grown either forward or backward to a user-specified month and year. The growth routine uses the original stand data as its basis even when the stand has been grown multiple times.

1. Select a stand or stands.
2. From the **Stand** menu bar, choose **Grow**. The Growth dialog appears.
3. Fill in the **Grow to Month** and **Grow to Year** boxes.

4. Click **OK**. The stand is grown forward or backward depending on the month and year chosen.

Note: You can also grow a stand by clicking the **Grow** button on the master screen.

See also
Grow a Project

Import Cruise Data into Inventory


Cruise data can be imported into inventory at the project or stand level. Before cruise data can be imported, the species site index and stand age classes must be defined in the type master screen.

To import cruise data into inventory at the project level.

1. Select the project with the cruise data.
2. On the menu bar select **File**.
3. From the drop down menu select **Cruise to Inventory**.
4. The program moves all the stands with cruise data in the active project into inventory.

To import cruise data into inventory at the stand level.

1. Select the project with the cruise data.
2. Select the stand or stands which are to receive cruise data.
3. On the menu bar select **File**.
4. From the drop down menu select **Cruise to Inventory**.
5. The program moves the cruise data into inventory for the selected stand(s).

Cruise data for an individual stand can also be imported into inventory by clicking on the  button on the type master screen, TC-Tree Input screen and the TC-Tree Edit screen.

Import a DOS-based FLIPS Project

Projects from DOS-based FLIPS may be converted for use in FLIPS. The following steps assume the project to be converted has already been restored into DOS FLIPS from a previous version of DOS FLIPS.

1. Start the DOS based FLIPS program.
2. Go to the **Forest Inventory** option and hit enter.
3. Choose **4. Reports**.
4. Select **C. Update for Inventory**.
5. Choose **S. Convert Data Files**.
6. Select **A. Build Windows Text**.
7. Select the project to convert and press Enter.
8. Move the cursor to either **All Types** or desired individual types to convert by pressing the enter key to select or deselect.
9. Press F9 to run the operation. This creates a Windows conversion file, which will be automatically seen by FLIPS upon starting. Exit from DOS Flips.
10. Open FLIPS.
11. Fill out the directory path to where the project is to be located, then click **Process**. The converted project is now active in the opening menu window.

Import a DOS-based SuperACE Project

Projects from DOS-based SuperACE may be converted for use in SuperACE. The following steps assume the project to be converted has already been restored into DOS SuperACE from a previous version of DOS Superace.

1. Start the DOS based SuperACE program.

2. Go to the **Timber Cruise** option and hit enter.
3. Choose **3. Maintenance**.
4. Select **S. Copy projects to windows**.
5. Select the project to convert and press Enter.
6. Press F9 to run the operation. This creates a Windows conversion file.
7. Close DOS SuperACE and open SuperACE.
8. Select **file** from the menu bar and select **import** from the drop down menu.
9. Select **SuperACE from DOS SuperACE**.
10. Fill out the directory path where the project is to be located, then click **Process**. The converted project is now active in the opening menu window.

Open a Type Master Screen

Access the master screen for a stand by double clicking the gray area to the far-left end of the stand window beside the appropriate stand. The stand type master screen appears.

Open a Table

1. Choose **Tables** from the opening screen menu bar.
2. Pick the table type from the tables pull down menu.
3. A Table screen appears.
4. On the upper left corner of the screen choose a table name from the drop down window.

Print a Report\Graph

After running a report, you can print a report by clicking on the  button in the report preview window.

See Also
Run a Report

Print a Table

1. Click on **Reports** on the menu bar and select **Tables** from the drop down menu to show the table tree.
2. Click and highlight the table or tables to print from the table tree.
3. Click the **Process** button at the bottom of the screen.
4. In the print preview screen click on the  button.

See Also
Open a Table

Print a Window

Print a window by selecting **Print** from the **File** menu. This will print anything visible in the window.

Query Stands

It's easy to query stands based on stand attributes using the **Query Builder** dialog or by using **Selection** under the **Reports** drop down menu. The query builder gives results based on the non-calculated data for on-screen queries while the selection screen gives results based on processed data for reporting.

Using the query builder dialog.

1. Select **Filter/Query** from the **Stand** drop down menu.

FLIPS / SuperACE06™ User's Manual

2. Use the filter/query dialog screen to build your query using Boolean expressions.
3. If you wish to save the criteria values, use the **save** button and enter a name for the query for future use.
4. Click **OK**.
5. Only the stands that meet your query parameters are displayed on the stand list screen.
6. To restore a complete stand listing simply select **Stand** from the menu bar and click on **Clear Selected Types**.

Using the selection screen to query stands.

1. Choose **Selection** from the **Reports** drop down menu.
2. The selection screen appears.
3. Click the criteria from the left side of the screen that you want to query on. More than one criteria can be selected.
4. As you highlight the criteria a tab is created on the input side of the screen.
5. Fill in the minimum and maximum values for the criteria you've chosen on the input side of the screen.
6. If you wish to save the criteria values, use the **save jobs** button and fill in the dialog screen to save for future use.
7. Click on the **process** button.
8. The reports selection screen appears for you to pick the report you wish to run the selection on.
9. The resulting report is based on those stands which meet the criteria of your selection.

Record Blank Plots

If a blank plot (no trees on plot) is encountered on a timber cruise it must be recorded in order to calculate an accurate cruise. To record a blank plot, enter the plot number, prism or fixed radius code, species and a "0" in the CT column.

If nested plots such as a combination of prism with fixed radius (F1 thru F5) or strip cruise (S1 thru S5), are being sampled and a blank plot occurs on any of the nested plots on the same sample point, it is recommended that the nested plot be recorded as a blank plot. If, at any time, a blank plot occurs on the reforestation plot (R1 thru R5) it **must be** recorded as a blank plot in order to calculate accurate stocking.

Example of blank plot entry on a nested plot. Blank plot is highlighted in yellow.

Twn: 01N Rge: 01W Sec: 11 Tract: TEST Type: 1001																									
Plot		Identification					Measurements					Classification					Segment - 1								
No.	Tree	PF	A	Spp	T	CT	DBH	FP	FF	D	Ht.	Ht.	O	R	I	A	S	S	G	LN	F	I	F	I	%
T101	1	20	2	DF			12.0	16	89	4	64	80						8	3	40					
	2	20	1	DF			17.0	16	88	4	75	97						8	3	40	2				
	3	20	1	DF			30.0	16	87	4	90	102						8	2	40					
	4	F1	3	WH			6.0	4	90	0	30	30													
	5	F1	3	DF			4.0	4	86	0	25	25													
T102	1	20	1	DF			18.0	16	88	4	77	99						8	3	40					
	2	20	1	WH			14.0	16	87	4	64	85						8	3	40					
	3	F1	3	WH		0																			
*																									

Record Count Plots

Count plots are taken to supplement the cruise plots. They are used when there is a need for more basal area measurements to measure the stocking variation. This system allows recording the count by species. Count plots must be done exactly as the cruise plots, using the same form point and prism factor. Counts are recorded by entering the plot number, prism or fixed radius code, species and the number of trees in the CT column.

If *count plots* are taken with measure plots, **DO NOT** record count trees on the measure plots. *Count trees* can only be recorded on measure plots in a timber cruise with **no count plots**.

Example of count plot entry. Count plots are highlighted in yellow.

FLIPS / SuperACE06™ User's Manual

Twn: 01N Rge: 01W Sec: 11 Tract: TEST Type: 1001																						
Plot		Identification					Measurements					Classification					Segment - 1					
No.	No.	PF	A	Spp	T	CT	DBH	FP	FF	D	Ht.	Ht.	Total	P	C	V	D	T				
T101	1	20	2	DF			12.0	16	89	4	64	80							8	3	40	
	2	20	1	DF			17.0	16	88	4	75	97							8	3	40	2
	3	20	1	DF			30.0	16	87	4	90	102							8	2	40	
	4	20	2	WH			15.0	16	88	4	66	83							8	3	40	
	5	20	1	DF			14.0	16	87	4	64	85							8	3	40	
T102	1	20	1	DF		3																
	2	20	1	WH		2																
T103	1	20	1	DF		4																
T104	1	20	1	DF			18.0	16	88	4	77	99							8	3	40	
	2	20	1	WH			14.0	16	87	4	64	85							8	3	40	
	3	20	1	DF			13.0	16	87	4	62	82							8	3	40	
*																						

Record Count Trees

Count trees may be recorded by diameter class on measure plots when similar diameters occur in a sampled species or identical measure trees occur on a plot. Count trees are useful in situations such as cruising merchantable stands with very little variation in tree measurements. The count trees are recorded by entering the plot number of the measure plot being sampled, prism factor, species, the number of trees in the CT column, and diameter.

If *count plots* are taken with measure plots, **DO NOT** record count trees on the measure plots. *Count trees* can only be recorded on measure plots in a timber cruise with **no count plots**.

Example of count tree entries on measure plots. Count trees are highlighted in yellow.

Twn: 01N Rge: 01W Sec: 11 Tract: TEST Type: 1001																						
Plot		Identification					Measurements					Classification					Segment - 1					
No.	No.	PF	A	Spp	T	CT	DBH	FP	FF	D	Ht.	Ht.	Total	P	C	V	D	T				
T101	1	20	2	DF			12.0	16	89	4	64	80							8	3	40	
	2	20	1	DF			17.0	16	88	4	75	97							8	3	40	2
	3	20	1	DF			30.0	16	87	4	90	102							8	2	40	
	4	20	2	DF			15.0	16	88	4	66	83							8	3	40	
T102	1	20	1	DF			20.0	16	88	4	80	100							8	2	40	1
	2	20	1	DF			22.0	16	88	4	83	101							8	2	40	
	3	20	1	WH			30.0	16	87	4	94	110							8	2	40	
	4	20	2	DF		3	12.0															
	5	20	1	WH		2	18.0	16	88	4	77	90							8	2	40	
*																						

Restore a Project

Select the **Backup\Restore** option in the **File** drop down menu.

1. Backup\Restore dialog screen appears.
2. Select the tab labeled **Restore**.
3. In the **source** window browse to the drive and directory where the project is stored.
4. Select the zip file from dialog screen.
5. Click the **open** button.
6. Select the project name from the project window.
7. In the **Destination directory** window browse to the drive and directory where you want the project restored.
8. Check on the screen if you want to restore the tables and defaults in the **extract files** section of the restore screen.
9. Click **OK**.
10. If restore tables was selected, the **select tables to restore** screen appears.
11. Highlight the tables you want to restore. Use the CTR key with the mouse to select more than one table.
12. Click **OK**.
13. The project is restored and can be selected from the project selection screen.

See Also

Backup a Project

Run Reports\Graphs

Reports are often viewed as the desired end product of a SuperACE/FLIPS session. Based on the tables that were set up at the beginning of the work session, the user may generate several different types of reports with project data. Note that graphs are also available. Reports are either type or project reports. Type reports print individually when multiple types are selected. Project reports print one combine report for multiple types.

1. Select a stand, stands or project for which the report will be run.
2. Click on **Reports** on the menu bar and select **Inventory** or **Cruise** from the drop down menu to show the report tree.
3. If an entire project or multiple stands are selected, click on the report or reports followed by (project) from the report tree so it is highlighted. If a single stand is selected, click on the report or reports followed by (type).
4. Click the **Process** button at the bottom of the screen.

Reports can also be run from the following screens by clicking on the **Reports** button.

Screens:

SuperACE: Master TC-Tree Input TC-Tree Edit TC-Plot Loc TC-Extra Tree Mea TC-Scaling TC-Transect
Flips98: Master FI-Sort/Grade FI-History/Planning FI-SppSum FI-Stand Input

See Also

Print a Report\Graph

Run a Stand Table Adjustment Cruise

With this routine, existing stand table information can be entered into the TC – Tree Input screen to be run against existing cruise information. Use this feature **only** if there is a high level of **confidence** in the stand table information. The stand table data is actually used to adjust the volume of the collected cruise data. This is useful in situations such as timber marking, dot tally cruises or percent cruises. **Do not** run this routine with count plots or count trees in the timber cruise.

The stand table information can be entered before or after the cruise is run. Every species and diameter class must be represented by at least one cruise tree. The stand data is entered by inputting **STND** in the plot number column, a species code, tree count and diameter class. The cruise data is entered as normal.

Below is an example of the TC – Tree Input screen with stand table and cruise data entered.

FLIPS / SuperACE06™ User's Manual

Twn: 01N Rge: 01W Sec: 11 Tract: TEST Type: 1000																										
Plot		Tree		Identification				Measurements					Classification					Segment - 1								
No.	No.	PF	A	Sp	T	CT	DBH	FP	FF	D	Ht.	Ht.	P	C	V	D	T	S	G	LN	F	I	F	I	%	
STND	1	20	1	WH		99	12.0																			
	2	20	1	WH		45	12.0																			
	3	20	1	WH		20	14.0																			
	4	20	1	WH		10	17.0																			
	5	20	1	WH		20	18.0																			
	6	20	1	WH		5	30.0																			
T101	1	20	2	WH			12.0	16	89	4	64	80						8	3	40						
	2	20	1	WH			17.0	16	88	4	75	97						8	3	40	2					
	3	20	1	WH			30.0	16	87	4	90	102						8	2	40						
T102	1	20	1	WH			18.0	16	88	4	77	99						8	3	40						
	2	20	1	WH		1	14.0	16	87	4	64	85						8	3	40						
*																										

In the above example, the stand data listed WH 12.0" at 144 trees. The CT column only accepts a two digit number, therefore, WH 12.0" has to be entered twice. Once with CT equal to 99 and again with CT equal to 45 so that the two entries together yield 144 trees.

Cruise reports can be run to view the results of the cruise after the data has been entered for the stand table and the cruise plots.

Select Multiple Stands


The list of available stands appear on the opening screen. To select multiple stands:

1. Click the mouse on the gray area to the far left of the first stand to select. The entire line should be highlighted in black.
2. Hold down the Ctrl key and select any other stands. Note that clicking on the stand again will deselect it.
3. To select a continuous range of types, select the first type by clicking in the gray area on the left to highlight the line, then hold down the Shift key and select the bottom, or last type desired in the range of types.

See also Select a Stand


Select a Printer

1. Select **File** from the menu bar and choose **Printer setup** from the drop down menu.
2. The **Print Setup** dialog screen appears.



3. In the **Name** drop down window select the printer you wish to use.
4. Click on the **OK** button.

Select a Project

The list of available projects is found by clicking the  button on the opening screen tool bar. Or, by selecting **Project** on the menu bar, then **Select Project** from the drop down menu. This opens the project selection screen. To select a specific project, mouse click on the gray area to the left of the desired project. Once a project is highlighted click on the **Select** button at the bottom of the screen to display the associated stands.

Select a Stand

The list of available stands appear on the opening screen. To select a stand:

1. Click the mouse on the gray area to the far left of the stand. The entire line should be highlighted in black.
2. The Stand Information screen can be accessed by either double clicking on the desired stand, or by selecting **Stand** on the menu bar, then select **Stand** from the drop down menu.

See also Select Multiple Stands

Start ForestVIEW

If you have purchased ForestVIEW 3.7, you can start it without leaving FLIPS.

Select **ForestVIEW** from the **Stand** drop down menu.

Update Inventory from Cruise Data

There two methods for moving cruise data into an inventory. Site index and age must be assigned to each species on the type master screen before the cruise data can be processed.

Method 1:

1. Select the stand or stands that have cruise data to be moved into inventory. (Note: If no stands are selected then all cruise data in the project will be moved into inventory).
2. From the menu bar select **File** and from the drop down menu select **Cruise to Inventory**.
3. Click the **OK** button at the prompt.
4. If an inventory already exists, you will be prompted if you wish to cancel the process or replace the existing inventory data.

Method 2:

1. Open the type master screen of the stand you wish to update the inventory.
2. Click on the **Update Inv** button.
3. Click the **OK** button at the prompt.
4. If an inventory already exists, you will be prompted if you wish to cancel the process or replace the existing inventory data.

Use Defaults Screen

The defaults screen is accessed by choosing **Defaults** from the **Setup** drop down menu. This screen enables the user to assign active tables and modify parameters for data input, report calculation, log scale calculation, and statistical calculation. The modifications are made by using the following tabs in the Defaults Screen. These defaults do not effect the original data. They are applied only when reports are run.

Tables Tab – With this screen the user can assign tables to run a project against for volume and value calculations.

See also
Assign Tables

Sample Tab – The user can define timber sampling system minimum and maximum values by species to be downloaded to a data recorder for collecting plot data.

Measurements/Fields Tab – Data input fields can be toggled on/off to aid in entering tree data into program.

Calculation Tab – This screen enables the user to run reports with different log scale rules, scaling diameters, minimum log lengths, and trim against any project or timber type. It is recommended that the user select "T" (temporary) in the Replace All cell. With the "T" option, the defaults are applied for only one report run. After the reports are generated the value reverts to "N" (no). If "Y" (yes) is selected the defaults will be applied every time reports are run.

Report Format Tab – Enables the user to select options such as a stand attribute to determine the dominant species of a timber stand for reporting purposes.

Statistics Tab – The user can change statistical parameters to run project and stand reports against.

Reports

Age Class - Conifer & Hardwood Summary Report

Reports on acres and volume by age class grouped by conifer and hardwood for a type(s) or project.

Age Class

Age classification

Conifer Acres

FLIPS / SuperACE06™ User's Manual

The acreage of timber types which are predominantly conifer.

Hardwood Acres

The acreage of timber types which are predominantly hardwood.

Total Acres

Total acres in the report.

Conifer Cunits

Volume in cunits for all species within timber types which are predominantly conifer.

Conifer MBF

Volume in MBF for all species within timber types which are predominantly conifer.

Hardwood Cunits

Volume in cunits for all species within timber types which are predominantly hardwood.

Hardwood MBF

Volume in MBF for all species within timber types which are predominantly Hardwood.

Total Cunits

Total volume in cunits.

Total MBF

Total volume in MBF's.

See Also

How to Run Reports\Graphs

Age Class Distribution By Spp Type, Average Vol. per Acre Report

Reports on average volume and basal area per acre by predominant species distributed by age class.

Age Class

Age classification

Species Type

Predominant species in age class.

Acres

Total acres in which the dominant species occurs.

No. Types

Number of types included in the total acres.

Ave SI

Average site index for the species.

Trees/Acre

Trees per acre represented by a given species.

BA/Acre

FLIPS / SuperACE06™ User's Manual

Basal area per acre represented by a given species by age class.

Ave. DBH

Average DBH for a given species by age class.

Ave. T.Ht.

Average total height for a given species by age class.

Net CF/Ac

Net cubic feet per acre for a given species by age class.

Net BF/Ac

Net board feet per acre for a given species by age class.

Total Net CCF

Total net cunits for a given species by age class.

Total Net MBF

Total net MBF for a given species by age class.

See Also

How to Run Reports\Graphs

Catalog Species Volume Report

Reports volumes by individual species for an entire project or for a selected stand or stands in a project. It totals acres and volumes (both Cunits and mbf) by section, township, range, and project. A brief description of the report column headings follows:

Type

The number associated with a specific timber type.

Acres

The acres for each individual timber type are listed, plus a total of project acres is computed.

Sce

The source of the data (information). For example, from a timber cruise.

Date

Date the data was collected or input (the exam date).

Age

The age of the timber in years.

SI

The site index for the timber type, base 50 or base 100.

Spc

Species for which the information is being reported.

ST

Species status code.

DBH

Average diameter for the species measured outside the bark at 4 feet above stump.

FF

Average form factor for the species.

Total Hgt

Average total height for each species is listed, plus the average total height of all species is computed.

STK

Percent of normal stocking.

Ba/Ac

Basal area per acre by individual species and for all species combined.

Trees/Ac

The number of trees per acre by individual species and for all species combined.

Logs/Ac

The number of logs per acre by individual species and for all species combined.

Avg Log CuFt and BdFt

The average number of cubic feet and board feet in a given log by species and for all species combined.

Net Cf/Ac and Net Bf/Ac

The net cubic feet or board feet per acre.

Total Cunits and Total MBF

The total number of net Cunits or net MBF by species and for all species combined.

See Also

How to Run Reports\Graphs

Catalog - Tree Classification Report

Reports on all species within a stand listed by age and species.

Type

Type number

Acres

Total acres in type

Date

Exam date of stand as entered in inventory.

Age

Age assigned to species

SI

Site index assigned to species.

Spc

Species code as defined in the species table.

ST

Status code assigned to species (ie. D for Dead).

PO

Crown position assigned to the species.

CR

Crown ratio assigned to the species.

VI

Vigor code assigned to the species.

DA

Damage code assigned to the species.

T5

A user defined code.

DBH

DBH of the species.

FF

Form factor assigned to the species.

Total HT

Total height of the species.

STK

Percent normal stocking represented by the species.

BA/Ac

Basal area per acre represented by the species.

Trees/Ac

Trees per acre represented by the species.

Net Cf/Ac

Net cubic feet per acre represented by the species.

Total CUNITS

Total cunits represented by the species.

Total MBF

Total MBF represented by the species.

See Also

How to Run Reports\Graphs

Log Stock Table - MBF Report

The log stock report - MBF breaks down the board foot volume attributed to the individual sort/grade combinations by scaling diameter classes for individual species. The scaling diameter classes are defined by the user in the report parameters screen. It summarizes information for an entire project or selected types associated with the project.

Spp

Species for which the information is being reported.

ST

Species status code.

Sort

A means of classifying the type of tree, usually based on its destination. For example, a tree may be sorted according to export sorts, local market destinations, or "take" vs. "leave" trees.

Grade

A means of classifying a tree based on its quality, generally defined by the local scaling bureau.

Log Len

The length of the log assigned to a grade classification for a given species.

Gross MBF

The total volume, in MBF, calculated for a given grade and log length without deductions for defect.

% Def

The percent of defect calculated for a given grade and log length.

Net MBF

The total volume, in MBF, calculated for a given grade and log length after deductions for defect are removed.

% Spc

The percent of total species net mbf volume in a given grade and log length.

Net Volume by Scaling Diameter in Inches

The calculated net mbf volume by scaling diameter classes.

See Also

How to Run Reports\Graphs

Log Stock Table - Percent Board Foot Report

This report breaks down the percent board foot volume attributed to the individual sort/grade combinations by scaling diameter classes for individual species. The scaling diameter classes are defined by the user in the report parameters screen. It summarizes information for an entire project or selected types associated with the project.

Spp

Species for which the information is being reported.

ST

Species status code.

Sort

FLIPS / SuperACE06™ User's Manual

A means of classifying the type of tree, usually based on its destination. For example, a tree may sorted according to export sorts, local market destinations, or "take" vs. "leave" trees.

Grade

A means of classifying a tree based on its quality, generally defined by the local scaling bureau.

Log Len

The length of the log assigned to a grade classification for a given species.

Gross MBF

The total volume, in MBF, calculated for a given grade and log length without deductions for defect.

% Def

The percent of defect calculated for a given grade and log length.

Net MBF

The total volume, in MBF, calculated for a given grade and log length after deductions for defect are removed.

% Spc

The percent of total species net mbf volume in a given grade and log length.

Percent Net Volume by Scaling Diameter in Inches

The calculated percent net mbf volume by scaling diameter classes.

See Also

How to Run Reports\Graphs

Log Stock Table - Percent Cubic Feet Report

This report breaks down the percent cubic foot volume attributed to the individual sort/grade combinations by scaling diameter classes for individual species. The scaling diameter classes are defined by the user in the report parameters screen. It summarizes information for an entire project or selected types associated with the project.

Spp

Species for which the information is being reported.

ST

Species status code.

Sort

A means of classifying the type of tree, usually based on its destination. For example, a tree may sorted according to export sorts, local market destinations, or "take" vs. "leave" trees.

Grade

A means of classifying a tree based on its quality, generally defined by the local scaling bureau.

Log Len

The length of the log assigned to a grade classification for a given species.

GR CCF

The total volume, in CCF, calculated for a given grade and log length without deductions for defect.

% Def

The percent of defect calculated for a given grade and log length.

GR CCF

The total adjusted volume, in CCF, calculated for a given grade and log length with defect removed.

% Spc

The percent of total species adjusted gross ccf volume in a given grade and log length.

Percent Net Volume by Scaling Diameter in Inches

The calculated percent adjusted gross ccf volume by scaling diameter classes.

See Also

How to Run Reports\Graphs

Non-Stocked and Non-Timbered Acres Report

Lists non-stocked and non-timbered acres by section.

See Also

How to Run Reports\Graphs

Ownership Report

Lists tract name, legal acres, type acres, owner, state and county by section.

See Also

How to Run Reports\Graphs

Plot List Report

Gives a list of plots in a selected type with calculated volumes and bole measurements.

Plot No.

Plot number.

Plot acres

Total acres represented by a given plot

Age

Age class major species on the plot

SI

Site index of major species on the plot

Maj Spc

Major species on the plot

Trees Me

Number of measure trees on the plot

Trees Ct

Number of count trees on the plot

FLIPS / SuperACE06™ User's Manual

DBH

DBH of the major species on the plot

16' FF

Form factor of the major species on the plot

Tot Ht

Average total height of the major species on the plot

Nor Stk

Percent normal stocking of the plot

BA/Ac

Basal area per acre of the plot

Trees/Ac

Trees per acre of the plot

Net CuFt/Ac

Net cubic feet per acre of the plot

Net BdFt/Ac

Net board feet per acre of the plot

Total Cunits

Total cunits represented by the plot

Total MBF

Total mbf represented by the plot

See Also

How to Run Reports\Graphs

Species Sort/Grade Report

There are two types of species sort/grade reports, type and project, that break down the percent of board foot volume attributed to the individual sort/grade combinations by species. The project report summarizes information by species from all types associated with the project, while the type report summarizes information by type for each species.

Spp

Species for which the information is being reported.

ST

Species status code.

Sort

A means of classifying the type of tree, usually based on its destination. For example, a tree may sorted according to export sorts, local market destinations, or "take" vs. "leave" trees.

Grade

A means of classifying a tree based on its quality, generally defined by the local scaling bureau.

% Net BdFt

FLIPS / SuperACE06™ User's Manual

The percent of total net board feet for an individual species that a particular sort and grade combination comprises.

BdFt per Acre Def%

The percent of Net board feet for a species sort grade combination accounted for by defect. For example, if the Gross Bd Ft per Acre is 464 and the Net Bd Ft per Acre is 413, there are 51 board feet of defect. Fifty-one equates to 0.78 % of the 413 Net Bd Ft per Acre. This is also calculated for the species as a whole (all sort/grade combinations included), and for the project as a whole (all species and all sort/grade combinations included).

BdFt per Acre Gross

The board feet per acre for a species sort/grade combination before taking out any defect. This is also calculated for the species as a whole (all sort/grade combinations included), and for the project as a whole (all species and all sort/grade combinations included).

BdFt per Acre Net

The board feet per acre for a species sort/grade combination minus any defect. This is also calculated for the species as a whole (all sort/grade combinations included), and for the project as a whole (all species and all sort/grade combinations included).

Total Net Mbf

The Net Mbf per acre times the number of acres.

Percent of Net Board Foot Volume-Log Scale Dia

The percent of total net board foot volume accounted for by logs of a given species sort/grade combination that fall in a scaling diameter range. For example, 84% of the total volume of Douglas fir with a sort of 4 and a grade of 3 have a scaling diameter of 9-11 inches.

Percent of Net Board Foot Volume-Log Length

The percent of total net board foot volume accounted for by logs of a given species sort/grade combination that fall in a log length range. For example, 22% of the total volume of Douglas fir with a sort of 4 and a grade of 3 have a log length of 26 to 34 feet.

Ave Log Ln Ft

The average log length for logs of a given species sort/grade combination.

Ave Log Board Feet

The average number of board feet in a log of a given species/sort/grade combination.

Logs per Acre

The average number of logs per acre for a given species/sort/grade combination.

See Also

How to Run Reports\Graphs

Species Summary - Logs and Volumes Report

This report totals the cunit and mbf volume, gross and net, by species along with the number of logs in a project or selected stands.

Species

Species for which the information is being reported.

Total Number Logs

The total number logs for a given species in a project or selected stands.

Total Gross Cunits

Total cunits represented by a given species.

Total Net Cunits

Total net cunits represented by a given species.

Total Gross MBF

Total gross mbf represented by a given species.

Total Net MBF

Total net mbf represented by a given species.

See Also

How to Run Reports\Graphs

Stand Table Summary Report

Reports tree information by D4H by species for either an individual type, for two or more types combined, or for an entire project. Following is a description of the types of information provided in the report:

Spc

Species for which the information is being reported.

ST

Species status code.

DBH

The tree diameter measured outside the bark at 4 feet above stump.

Sample Trees

The number of trees measured with the same D4H in the sample area.

FF 16'

Average form factor measured at 16 feet for sampled trees of a given D4H.

Av Ht Total

Average total height of sampled trees with a given D4H.

Trees/Ac

Number trees per acre with a given D4H.

BA/Ac

The basal area per acre for a tree of a given species and D4H.

Logs/Ac

The number of logs per acre for a tree of a given species and D4H.

Average Log Net CuFt

The net cubic feet in an average log of a given species and D4H.

Average Log Net BdF

FLIPS / SuperACE06™ User's Manual

The net board feet in an average log of a given species and D4H.

Tons/Ac

The tons per acre of wood for a given species and D4H.

Net CuFt/Ac

The net volume per acre in cubic feet for a given species and D4H.

Net BdFt/Ac

The net volume per acre in board feet for a given species and D4H.

Totals-Tons

The total tons of wood for a given species and D4H in the type or project acreage.

Totals-Cunits

The total net cunits of wood for a given species and D4H in the type or project acreage.

Totals-MBF

The total net MBF of wood for a given species and D4H in the type or project acreage.

See Also

How to Run Reports\Graphs

Statistics

A statistical analysis on the selected project or stand(s) in a project. It reports on the total number of plots and trees cruised in a stand. It includes a stand summary by species and reports coefficient of variation and standard error percent on board feet, cubic feet, trees/ac, basal area/ac, net bf/ac, and net cuft/ac.

See Also

How to Run Reports\Graphs

Timber Value Analysis Report

Evaluates an individual timber type, two or more types combined, or an entire project in terms of revenues and costs associated with harvesting.

The components for estimating revenues are:

Species

Species for which the information is being reported.

Name

Eight alphanumeric character wide name.

Logs

The number of logs of a given species.

Tons

The total tons of wood of a given species.

Cunits

Total cunits of a given species.

Mbf

The total Mbf of a given species.

The components for revenues and costs are:

\$/Log

The revenues and costs per log associated with harvesting. Costs could be road maintenance, cable yarding, falling and bucking, etc.

\$/Acre

The revenues and costs per acre associated with harvesting. Revenues listed at the top, costs at the bottom.

\$/Ton

The revenues and costs per ton associated with harvesting. Revenues listed at the top, costs at the bottom.

\$/CCF

The revenues and costs per CCF associated with harvesting. Revenues listed at the top, costs at the bottom.

\$/MBF

The revenues and costs per MBF associated with harvesting. Revenues listed at the top, costs at the bottom.

Total Dollars

Total costs associated with harvesting. A bridge may be a one time cost of \$35,000 and would be listed under this column.

See Also

How to Run Reports\Graphs

Tract Summary Report

Reports timber acres, non-stocked acres, non-timbered acres, net cunits, and net mbf_by Tract.

See Also

How to Run Reports\Graphs

Tree Segment Volumes Report

Report that gives a break down of measurements, sorts/grades, constants, calculations and volumes for each tree on a given plot.

See Also

How to Run Reports\Graphs

Type Acres List Report

Reports type acres and volumes by tract in a project. Age, site index, predominate species, DBH, height, BA/ac, trees/ac, net cf/ac, net bf/ac, and volumes (both Cunits and mbf) are reported for every type within a tract.

See Also

How to Run Reports\Graphs

Volume Relationships by Species Report

Reports on all species within a project or selected stands and compares various calculated items by species.

Items:

Total Gross Cunits: Total gross cunits

Total Net Cunits: Total net cunits

Total Gross MBF: Total gross mbf

Total Net MBF: Total net mbf

Total Tons: Total tons

BA/Acre: Basal area per acre

Trees/Acre: Trees per acre

QM DBH: Quadratic mean DBH

Gross CuFt/Acre: Gross Cubic feet per acre

Net BdFt/Acre: Net board feet per acre

Net/Gross Ratio: Net to gross ratio

Tons/Acre: Tons per acre

Logs Per Acre: Logs per acre

Avg Log Length: average log length

Lineal Ft per Acre: Lineal feet per acre

G CuFt/SqFt BA: Gross cubic feet per square feet basal area

N CuFt/SqFt BA: Net cubic feet per square feet basal area

G BdFt/SqFt BA: Gross board feet per square feet basal area

N BdFt/SqFt BA: Net board feet per square feet basal area

Tons/SqFt BA: Tons per square feet basal area

G CuFt/G MBF: Gross cubic feet per gross mbf

N CuFt/N MBF: Net cubic feet per net mbf

G BdFt/G CuFt: Gross board feet per gross cubic feet

N BdFt/N CuFt: Net board feet per net cubic feet

Tons/G CCF: Tons per gross cunits

Tons/G MBF: Tons per gross mbf

Lbs/G CuFt: Pounds per gross cubic feet

Lbs/N BdFt: Pounds per net board feet

N CuFt/Lineal Ft: Net cubic feet per lineal foot

N BdFt/Lineal Ft: Net board feet per lineal foot

Lbs/Lineal Ft: Pounds per lineal foot

See Also

How to Run Reports\Graphs

Tables

Adjustment Tables

FLIPS / SuperACE06™ User's Manual

Adjustment tables are used to store the parameters and percent adjustment to be used for adjusting site index or board foot and cubic foot volumes in cruise or inventory data. Several tables can be created for different adjustment scenarios. The adjustment tables are accessed in one of two methods.

Method 1:

1. From the menu bar choose **Tables** and from the drop down menu choose either **Inventory Adjustments** or **Cruise Adjustments**.
2. The table dialog screen appears.

Method 2:

1. While in the adjustments dialog screen click on the **Adjustment Table** button.
2. The table dialog screen appears.

With the adjustments table dialog screen you can create new tables, delete outdated tables, print a table and edit table parameters and adjustment percentages.

On the top right hand corner of the adjustments table dialog screen pick either **CruAdjustments** or **InvAdjustments** from the pull down window. Next, pick the table name you want to run from the pull down window on the upper left corner of the adjustments table dialog screen.

The adjustment parameters are entered and edited in the current adjustments section of the adjustment table.

Current INV-ADJUSTMENTS Table: GENERAL						
			Min	Max	BdFt	CuFt
	Abrv.	Status	Age	Age	Adjustment	Adjustment
	DF		25	50	0.10	1.00
*						

1. Enter the species code for the species that is to be adjusted.
2. A status code value is optional.
3. Enter a minimum age for the adjustment (required).
4. A maximum age is optional.
5. If you are adjusting BdFt volume or CuFt volume, enter a decimal percent value (i.e. to decrease the volume by 90 percent enter 0.10 in the adjustment cell). You do not have to adjust both BdFt and CuFt, but, a 1 value must be entered in the cell where no adjustment is to occur.
6. If you are adjusting Site Index a decimal percent adjustment value is entered into the CuFt adjustment cell with a 1 value in the BdFt adjustment cell.
7. Start a new row for each additional species.
8. When you have finished entering the species adjustment parameters click **OK** at the bottom of the adjustments table dialog screen.

Age

A table in which age categories are defined for the cruise data. There are two fields, Code and Description. Currently not available.

Code

A one character wide numeric field representing the age class.

Description

A field describing the age class category.

For example for a Code 2, the description could be 150-249, meaning all those trees falling in the age class of 150 to 249 years.

Aspect

Defines the codes used for describing aspect in a cruise . There are two fields, Code and Description.

FLIPS / SuperACE06™ User's Manual

Code

A two character wide alphabetic field describing the aspect.

Description

A field briefly describing the code.

For example, the code for northwest would be NW, while the description could be either NW again, or NORTHWEST.

Category

A table with one column that describes non-forested areas.

Examples of these are ROAD, FIELD, CLEAR CUT, etc.

Cost Table Overview

Defines the various per unit costs associated with harvesting and transporting trees in a stand. A cost table can be assigned to an entire project or different cost tables can be assigned to each stand in a project by assigning the table in the type master screen. If a cost table is assigned in a type master, it will override the cost table assigned to a project. Conversely, if no cost table is assigned in the type master then the cost table assigned to the project will be used.

See also: Assigning Tables to a Project

Table Name (required)

The table name reflects the choice of cost table made from the **Table Names** dropdown list box located at the bottom left of the screen. These tables may already exist, or may need to be created. See Creating a New Table.

Group

Currently not available.

Spp (optional)

Species abbreviation from the species table. For example, DF for Douglas fir.

Items (required)

Any tasks such as falling and bucking, rafting, road construction, etc., associated with the harvest operation.

Fiber (required)

Refers to whether or not the log is being graded, or will be used for its fiber (pulped). Entering an F in this column will cause any logs of this sort to have no Scribner volume calculated for it. If a G or a blank is in this column, Scribner volume will be calculated.

Cost (required)

The amount in dollars per unit that a given task costs. For example, reforestation may be given a cost of \$200 per acre. 200 would be entered into this cell.

Cost Unit (required)

The unit for which the cost is being assigned. For example, the costs might be in terms of thousands of board feet (M), Cunits (C), tons (T) or acres (A).

T1-Crown Position

A table describing the crown position of a tree in a stand. There are two fields, Code and Description.

Code

A one character wide numeric field describing the crown position.

Description

A field that briefly describes the code.

For example, with a code of D, the description might be DOMINANT.

T2-Crown Ratio

FLIPS / SuperACE06™ User's Manual

A table describing the percent of total tree height covered by live crown. There are two fields, Code and Description.

Code

A one character wide numeric field describing the crown ratio.

Description

A field that briefly describes the code.

For example, with a code of 2, the description might be 20%.

Component

Defines the codes used in describing stand component in the species table. There are two columns, Code and Description.

Code

A one character wide field representing the component.

Description

A field in which the code is briefly described.

For example, a code of C would have a description of CONIFER Component.

Cruise System

A table defining the origins of the cruise data.

Code

A two character wide alphabetic field describing the source of the data.

Description

A field that briefly describes the code.

For example, a code of TC would have a description of timber cruise and a code of RS would have a code of REFORESTATION SURVEY.

T4-Damage

A table classifying the tree damage in a stand.

Code

A one character wide field describing the type of tree damage.

Description

A brief description of the code.

For example, with code of W, the description is WIND.

Environment

A table that defines any either legal or disputed issues over the property. For example, the area may be an endangered wildlife area or may have the location of a boundary in dispute with the adjacent landowner.

Code

A three character wide alphanumeric field describing the issue.

Description

A brief description of the code.

For example, if there is a boundary dispute, the code may be BD, and the description would be BOUNDARY

DISAGREEMENT.

Harvest

A table describing the logging method used.

Code

A three character wide alphabetic field describing the logging method.

Description

A field that briefly describes the code.

For example, with a code of CAB, the description might be "Cable Logging".

History/Planning

A table describing any previous or future planned land management operations. For example, the stand may have undergone a pre-commercial thin or is slated to have a pre-commercial thin carried out on it at some future point.

Code

A two character wide alphabetic field describing the type of history or planning operation.

Description

A brief description of the Code.

Ex. - If the stand had a prescribed burn planned for it, the Code would be BU, and the description would be BURN.

Landform

A table that describes the project area terrain.

Code

A five character wide alphabetic field that describes the type of terrain.

Description

A field that briefly describes the code.

For example, with a code of STEEP, the description would be MORE THAN 30% SLOPE.

Another example is for a code of INACC, the description would be INACCESSIBLE.

NonStock

A table containing **Codes**, **Categories**, and **Descriptions** of various Non-stocked types.

Code

A two character wide field, describing the classification code of non-stocked area.

Category

A two character alphabetic field, describing a category grouping the non-stocked area.

Description

A field, that briefly describes the kind of non-stocked area.

For example, a non-stocked area with dense brush might have a code of DB for dense brush, a category of BR for brush, and a description of DENSE BRUSH; whereas, an non-stocked area that is light brush (not dense), might have a code of LB for light brush, a category of BR for brush, and a description of LIGHT BRUSH.

Another example for a non-stocked area that is a clearcut which has been prepared for replanting would have a code of PL for plantable, a category of CL for clearcut, and a description of CLEARCUT PLANTABLE AS IS.

NonTimber

FLIPS / SuperACE06™ User's Manual

A table with descriptions of non-timbered types such as roads, creeks, rock pits.

Code

A two character wide field that describes the category of non-timbered area.

Category

A two character wide alphabetic field that describes the non-timbered area.

Description

A field that briefly describes the non-timbered area.

For example, a non-timbered area such as a homesite might have a code of HM for home, a category of MM for manmade, and a description of HOMESITE.

A second example would be a lake. This would have a code of LA for lake, a category of WA for water, and a description of LAKE.

Note, there are two entries into this table that are useful when updating an inventory. These are Codes of ZM and ZP, both with a category of MM for manmade. The codes have descriptions of MINUS ACRES and PLUS ACRES, respectively. These refer to artificial types which add or subtract acres to get the type acres to add up to the legal acres for a section.

Price Table Overview

The price table (screen) allows the user to apply log values to the volume being inventoried. These values are usually "pond" prices (i.e., delivered to the destination) without costs subtracted. They are useful in facilitating appraisal work. A price table can be assigned to an entire project or different price tables can be assigned to each stand in a project by assigning the table in the type master screen. If a price table is assigned in a type master, it will override the price table assigned to a project. Conversely, if no price table is assigned in the type master then the price table assigned to the project will be used.

See also: Assigning Tables to a Project

Table Name (required)

The table name reflects the choice of price table made from the **Table Names** dropdown list box located at the bottom left of the screen. These tables may already exist, or may need to be created. See Creating a New Table.

Species (required)

The species abbreviation for which the price is being determined.

Copy Species (optional)

Use this to copy and apply the same prices for one species to another. For example, Red Alder and Big Leaf Maple may have the same prices, so entering Red Alder in the Big Leaf Maple Copy Species column will apply Red Alder prices to Big Leaf Maple, by sort and grade.

Product Name (required)

An eight character wide alphanumeric field, describing the type of log being priced. For example, a Japan export log with a minimum of 12 inches for the butt log diameter would be JAEX 12+.

Product (optional)

The type of product expected.

Sorts (required)

An alphanumeric field, representing the sorts of the logs being priced. E.g., JCK would mean that all 3 sorts, Japan, China, and Korea would have the same price. Up to five sorts can be assigned to a single price.

Grades (required)

An alphanumeric field, representing the grades of the logs being priced. Up to five grades can be assigned to a single price.

Min Dia (required)

The minimum allowed diameter of the log being priced.

Max Dia (optional)

The maximum allowed diameter of the log being priced.

Min Len (required)

The minimum allowed length of the log being priced.

Max Len (optional)

The maximum allowed length of the log being priced.

Rate (required)

The number of dollars assigned to a Rate Type.

Rate Unit (required)

Units of measure, i.e.: Thousands of board feet (M), cunits (C), tons (T), piece (P), etc.

Destination (optional)

Name of the destination where logs will be delivered.

Load Size (optional)

Average load size.

Margin (optional)

Percentage

Margin Unit (optional)

Thousands of board feet (M), cunits (C), tons (T), piece (P), etc.

Roads

A table that classifies types of roads.

Code

A three character wide alphabetic field that describes a type of road.

Description

A field that briefly describes the code.

For example, an abandoned road might have a code of ABN, with a description of ABANDONED ROAD.

Seed Zone

A table that describes the seed zone that a stand falls in.

Code

A three character wide numeric field describing the seed zone.

Description

A brief description of the code.

For example, a code of 041 would have a description of SEED ZONE 041.

Slash

A table that describes the distribution of slash on a site.

Code

A one character wide alphabetic field that describes the distribution of slash.

Description

A brief description of the code.

For example, with Heavy slash distribution, there would be a code of H with a description of HEAVY.

Soils

A table that briefly describes the soils in the project area based on the type of tree species that can be grown there.

Code

A five character wide alphabetic field that describes the soil type.

Description

A brief description of the code.

For example, with a code of NONCO, the description would be NON-CONIFER SITE-CAN'T GROW CONIFER SPP.

Sort/GradeTable Overview

The sort/grade table is the table in which the project's sorts and grades are defined. These definitions or classifications will be used when generating reports that have a reference to tree sorts and grades. Below is a description of the fields of the sort/grade table.

Table Name (required)

The table name reflects the choice of sort table made from the **Table Names** dropdown list box (of existing tables) located at the bottom left of the screen. These tables may be existing, or newly created. See *Creating a New Table*.

Sort (required)

One character wide alphanumeric field, representing a specific sort. For example, an export table might assign a 0 to a cull log, a 1 to an old growth log, a 4 for a peewee Japan log, an H for a hardwood sawlog, etc.

Grade (required)

A one character wide alphanumeric field that represents a specific grade.

Abrv (required)

Two character wide alphabetic field, representing a specific sort. For example, an export table might assign CU to a cull log, OG to an old growth log, PW for a peewee Japan log, an HD for a hardwood sawlog, etc.

Description (required)

An eight character wide alphanumeric field, describing a specific sort. It may relate to a log's probable destination or to its surface characteristics. For example, a Japan export with a 12 inch minimum diameter might have a description such as JA EX 12.

Fiber (optional)

Refers to whether or not the log should have board foot volume calculated. Entering an F in this column will cause any logs of this sort to have no Scribner volume calculated for it. If a G or a blank is in this column, Scribner volume will be calculated.

Min Dia (required)

The minimum acceptable small end diameter to meet a specific sort requirement. E.g., a China export may have a minimum diameter of 12 inches on the small end of the log. If a log does not meet a Min Dia requirement the volume and assigned sort and grade are still reported. A message will appear in the SuperACE TC-Tree Edit screen noting the discrepancy.

Max Dia (optional)

The maximum acceptable small end diameter to meet a specific sort requirement.

Max Butt (optional)

The maximum acceptable large end diameter of a log to meet a specific sort requirement.

Min Len (required)

The minimum acceptable log length for a given log sort. For example, for a PeeWee Japan log, the minimum length accepted by the buyer might be 34 feet.

Max Len (optional)

The maximum acceptable log length for a given log sort relative to the scaling rules. Logs over this length are split scaled as 2 or more segments.

Defect (optional)

The maximum amount of defect allowable for a particular log expressed as a percent.

Min Vol (optional)

The minimum amount of volume that a log must contain in order to be classified as a given sort.

Vol Unit (optional)

Refers to the choice of units used when defining minimum volume. For example, the units may be in cubic feet or board feet, so would put a C or M, respectively in this column.

Min Rings Per Inch (optional)

The minimum number of rings per inch that the butt end of a log must contain to be classified as a given sort. For user information only, not used in the program.

Knot Size (optional)

The maximum allowable diameter of knots for a particular log sort. For user information only, not used in the program.

Knot Frequency Per Foot (optional)

The maximum number of knots per foot allowable for a given log sort. For user information only, not used in the program.

Strt (optional)

Enter a Y or N in this column to express whether the log is straight or not. For user information only, not used in the program.

Sap (optional)

FLIPS / SuperACE06™ User's Manual

A measurement, in inches, of the minimum sapwood thickness. For user information only, not used in the program.

Min Age (optional)

The minimum allowable age measured by ring count on the butt end of the log for a given log sort

Lbs (optional)

The weight, in pounds per thousand board feet or cunit. This information can be gathered from scaling bureaus, state forestry departments, timberland owners, etc.

Lbs Unit (optional)

The type of volume unit being used to describe weight. This would be either thousand board feet (M) or cunits (C).

Cords (optional)

Cords per ton (T), cunit (C), or thousand board feet (M) taken from scaling bureaus, state forestry departments, timberland owners, etc.

Cords Unit (optional)

The type of unit being used to describe cords. This would be either weight units of tons (T) or volume units such as thousand board feet (M) or cunits (C).

Product (optional)

A description of the expected end product for the log. For example, pulp, veneer, etc. In the South, product refers to sort.

Species Table Overview

This table lists all the species used in the project and gives critical information on each of these species.

Table Name (required)

The table name reflects the choice of sort table made from the **Table Names** dropdown list box located at the bottom left of the screen. These tables may already exist, or may need to be created.

See also

Creating a New Table

Code (required)

A five character wide numeric field, representing a specific species. For example, 0001 could be assigned to western hemlock and 0004 could be Sitka spruce.

Abrv (required)

A two character wide alphanumeric field, representing a specific species. For example, western hemlock is WH, Douglas-fir is DF, etc.

Description (required)

An eight character wide alphanumeric field, describing a species, e.g. NOB FIR for noble fir, or COTWOOD for cottonwood.

Bark (required)

The bark thickness ratio for a given species.

Asubo (Ao) (required)

A factor used in Behre's hyperbola, which describes tree form. Enter one of the following species codes to use an Ao factor base upon age (DF, LP, WH, RA, PP, SS, SF, RC or NF). For example, red alder and cottonwood have a similar tree bole form, so for both species in this column, RA may be entered (the Ao for red alder). Age must be defined for each species in every stand. The age is defined on the type master screen. If age is not defined on the type master, the program uses a default age of 50 years old. An Ao factor may also be entered as a numeric value to be run against all ages for the specified species (i.e. 0.593 for WH).

See Also

Ao Factor Chart

Form Factor (required)

The diameter outside the bark measured at Form Point (generally 16 feet) divided by the diameter outside bark measured at D4H. Either a number value or one of thirteen species codes can be entered. If a number value is entered then the value is used as a default for the species when a form factor isn't entered in the tree input or edit screen. If a species code is entered then the form factor will be predicted based on the active form table and the tree's total height. When a form factor is entered with the tree data in a field data recorder or in the tree input screen, then it will override the value entered in the species table.

Wood type (required)

FLIPS / SuperACE06™ User's Manual

A one character wide alphabetic field, referring to the type of wood, used in reporting. For example, a W code would describe WHITEWOODS. Codes are defined by the user and are stored in the active Wood Type table.

Component (required)

A one character alphabetic code used to classify species for reporting. Codes are defined by the user and are stored in the active Component table.

Yield Table (required)

The yield equation that best mimics the volume yields for a given species. Occasionally, if a species has a similar yield equation as another species, then the same yield equation can be applied. Used only with the FLIPS program.

Min Dia (optional)

The minimum allowed small-end diameter of a log for a particular tree species. For example, in many timber cruises, logs smaller than a 5" x 12' are not accounted for. If a value entered is less than the Min Dia value defined in the Sort/Grade table, then the value in the Sort/Grade table will be overridden.

Min Len (optional)

The overall minimum acceptable length of a log by species. If a value is entered, it overrides a lesser Min Len value defined in the Sort/Grade table.

Max Len (optional)

The overall maximum acceptable length of a log relative to scaling rules. Logs over this length are split scaled.

Max Ht (optional)

The maximum total tree height.

Trim (required)

Excess length added on to the log that is not reported. It compensates for length that will be lost in processing at the mill. For example, a 40 foot log may actually be 41 feet because approximately 1 foot may be lost in processing.

BdFt Rule (required)

The board foot rule to be employed. For example, depending on where the project is located, westside, eastside or doyle rules may be employed.

CuFt Rule (required)

The cubic foot rule to be employed when calculating volumes.

1=Northwest

S=Samalian

W=Weyerhaeuser

Weight (optional)

The pounds of wood per either MBF or CCF

Weight Type (optional)

The volume unit used in the measurement of weight. Would enter an M for MBF or a C for CCF.

Status

A table classifying the status of a tree damage in a stand.

Code

A one character wide field describing the type of tree status.

Description

A brief description of the code.

For example, with code of D, the description is DEAD.

Streams

A table defining the stream classes.

Code

A one character wide numeric field describing the stream class.

Description

A field brief description the code.

For example, a code of 4 would have a description of CLASS FOUR.

Tax

A table describing the type of tax to be applied.

Code

A two character wide alphabetic field describing the species of vegetation.

Description

A field brief description the code.

Treatment

This table refers to how a particular plot in a timber cruise should be viewed relative to the stand. This takes into account whether a plot seems representative of the overall stand.

Code

A two character wide alphabetic field that describes the way the plot should be viewed.

Description

A brief description of the code.

For example, with a code of NR, the description would be NOT A REPRESENTATIVE; conversely, with a code of T, the description would be TYPICAL PLOT OF THE STAND.

TreeSource

A table classifying the origins of the trees in a stand.

Code

A one character wide field describing the origins of the trees.

Description

A brief description of the code.

For example, with codes of S and N, the descriptions are SEEDED and NATURAL, respectively.

T3-Vigor

A table that classifies the trees relative to their position in a stand or health (diseased, suppressed, etc.).

Code

A one character wide alphanumeric field describing a tree's health or position in the stand.

Description

A brief description of the code.

For example, if a tree has mechanical defect from a pre-commercial thin done to the stand, the code would be M, and the description would be MECH. DEFECT.

Vegetation

A table describing the type of vegetation found in the project area.

Code

A two character wide alphabetic field describing the species of vegetation.

Description

A field describing the code.

For example, with a code of SW, the description would be sword fern.

WoodType

A table describing the type of wood in the stand. The table defines wood type codes entered into the species table.

Code

A one character wide alphanumeric field describing the type of wood.

Description

A field that briefly describes the code.

For example, with a code of P, the description would be PINE; or, with a code of W, the description would be WHITEWOODS.


Linking ForestVIEW to FLIPS


For those users familiar with working in both ForestVIEW (mapping) and FLIPS (forest inventory) programs, Atterbury Consultants, Inc. is pleased to present the opportunity to link data from ForestVIEW to FLIPS and vice versa. In order to take advantage of this link, the user must be familiar with data in FLIPS that corresponds to data in ForestVIEW. The steps in the following help screens outline the procedure necessary to link data from ForestVIEW to FLIPS or FLIPS to ForestVIEW.

It is highly recommended that you back up both the ForestVIEW and FLIPS files before starting this process. While it is relatively easy to undo changes made in ForestVIEW, once data in FLIPS has been altered, the only way to go back to the original data is via a backup.


Note that the maximum allowable time to be actively linked to FLIPS is 30 minutes per session. Beyond this time the link is broken. This process requires that you know how your data matches.

Initiating the Link to Flips

1. Click on the FLIPS link button.  The following dialog appears:



2. Select the polygon coverage to which the inventory will be linked. Note that this should be a coverage in ForestVIEW that has tabular fields that match tabular fields in a FLIPS project. These fields will not necessarily have the same name, but they must represent the same data.
3. Click OK and wait while some processing occurs. This may take several minutes depending on the size of the coverage. Then the ForestVIEW interface screen appears.




Note that you can only select one coverage to link at a time; however, you can open a new session to link additional coverages as many times as you wish.


Selecting the Project

Select the project for which you wish to create the link to FLIPS for in this next step.

1. In the Select Project area of the interface screen, select the project to which the data is to be linked. A question appears asking if you wish to start processing.



2. Answer yes to the question that appears.




3. Wait while some processing occurs. Note that after the processing is finished, the Match Fields and Buffers areas of the interface screen are populated with some data.

Filling in the Match Fields Area

Now the user must choose which fields of the ForestVIEW project to match with fields in FLIPS. It is recommended that the user match on township, range, and section.

1. In the Match Fields area of the interface screen, identify a field to use for searching for matches with FLIPS. Note that a matching field may have a different name in ForestVIEW compared to the corresponding field in FLIPS.




2. Click in the cell in the Inventory column adjacent to the ForestVIEW field to find the match for. A dropdown listbox appears from which you may choose an appropriate match. In the example above, the ForestVIEW field SEC may be matched to the FLIPS field SECTION.

Filling in the Buffers Area

When the user selected the project to work with earlier on, some processing occurred during which buffer fields in the ForestVIEW project were identified. This information may be viewed in the Buffers area of the interface screen. In this portion of the screen, the user may name the buffer fields with a 4 character long alphanumeric name (basically giving these areas a type designation). Also the Priority column is filled in. Priority assignments tell the software which field name is assigned to an area that two or more fields share in common. For instance, perhaps a light duty road crosses over a secondary highway. Rather than have two records for the area contained in the intersection of their buffers, the higher priority field contains the record.

1. Click the cursor in a cell of the Inventory field next to the first ForestVIEW cell entry.




FLIPS / SuperACE06™ User's Manual

2. Enter a 4 name up to 4 alphanumeric characters long to identify the ForestVIEW buffer by.
3. Set the priority for each buffer area by clicking in the cell and filling in with the desired priority assignment.

Matching the Data

Once the fields have been picked to match on and the buffer names and priorities have been assigned, it is time to let FLIPS and ForestVIEW search for data matches.

1. Click on the Match Data button at the bottom of the interface screen. Click Yes to the window that pops up. This window appears if the user did not enter any names for the Buffers area Inventory fields.



2. After processing is finished, three tabs appear on the lower left portion of the screen.

TOWNSH	RANGE	SECTIC	TRACT	TYPE	BUFFER	Acres	CountOff
11S	04E	01	ROCKCK	0015		624.31	97
11S	04E	01	ROCKCK	0015	CBUF	7.04	8
11S	04E	02	ROCKCK	0027		516.86	82
11S	04E	02	ROCKCK	0027	CBUF	7.54	12
11S	04E	03	ROCKCK	0029		300.39	55
11S	04E	03	ROCKCK	0029	CBUF	10.85	16
11S	04E	04	ROCKCK	0062		290.88	73
11S	04E	04	ROCKCK	0062	CBUF	9.60	20
11S	04E	05	ROCKCK	0010		514.45	100

FI/FV-Matched

Create Inventory
 Update Inventory
 Update ForestView

of Species:

Coverage is [over9]

Summary File:

FV-UnMatched

Create Inventory

Summary

5478 - Total Pat
3758 - Matched FI/FV
1720 - Un-Matched FV
0 - Un-Matched FI

Exit Program View PAT Match the Data Process

3. Resize the tab area in order to see all three tabs. These are the FI/FV-Matched, FV-UnMatched, and FI-Unmatched tabs.
4. Click on these tabs from left to right in order to view the data matches that occurred between FLIPS and ForestVIEW, those records that did not match from the ForestVIEW data, and those that did not match from the FLIPS data.

Note the Summary area of the screen that shows how many records fell in each of the three categories.

Making Choices for the FI/FV-Matched Area

Now it is necessary to choose whether or not to create an inventory from the ForestVIEW data, update the Inventory (FLIPS) data with the ForestVIEW data, or update the ForestVIEW data with the inventory data. The user will also select the number of species to be used in this process, and the final summary file name.

1. Check one of the three checkboxes as necessary to choose the type how to use the matched data.

FI/FV-Matched

Create Inventory

Update Inventory

Update ForestView

of Species:

Coverage is [over9]

Summary File:

FV-UnMatched

Create Inventory

Summary

5478 - Total Pat

3758 - Matched FI/FV

1720 - Un-Matched FV

0 - Un-Matched FI


2. Fill in the number of species being used in the project. Up to seven species can be included. If there are more species available than the number entered into this box, the main species will be chosen. For example, if the user has 4 species in a timber type and chooses 2 as the # of Species, the information associated with the main two species will be used.
3. Either enter a new name in the Summary File box, or accept the default name as the original coverage name. If you choose the latter, you will have to answer yes to the question "Replace File?"
4. Wait while processing occurs. A note will tell you that the processing is complete.

Back to ForestVIEW

Once the processing is complete for either updating or creating a new inventory, the FLIPS module is closed and you are back in ForestVIEW. You may now view the summary output file. It will be similar to the one below:

Shape	Area	Perimeter	Over9	Over9_id	Over10	Over10_id
Polygon	1006459.00000	7818.582000	23	22	23	
Polygon	179769.400000	1963.276000	24	23	24	
Polygon	215413.300000	2660.673000	25	24	25	
Polygon	1454.836000	247.680800	26	25		
Polygon	12932.330000	1161.692000	27	26	27	
Polygon	62398.160000	1236.458000	28	27	28	
Polygon	141251.600000	1973.893000	29	28	29	
Polygon	381667.000000	3279.074000	30	29	30	
Polygon	8.640625	69.171370	31	30		
Polygon	3286.625000	294.529100	32	31	32	
Polygon	505.718800	2683.422000	33	32		
Polygon	245229.100000	3638.246000	34	33	34	
Polygon	18201.290000	509.099200	35	34	35	
Polygon	33.562500	27.376430	36	35		
Polygon	459.394500	148.027300	37	36		
Polygon	1832.172000	224.880900	38	37		
Polygon	10.253910	85.133540	39	38		
Polygon	6079.465000	481.462200	40	39	40	
Polygon	95.250000	1613.646000	41	40		
Polygon	46636.250000	1694.736000	42	41	42	
Polygon	5560.551000	520.190900	43	42	43	

Exiting and Saving in ForestVIEW

When exiting from ForestVIEW, save the project if you wish to maintain the link to FLIPS. If you do not save the project, the link will be lost; however, you can re-establish this link by clicking on the join tables button , or by selecting **Join** from the **Tables** menu when a table window is the active window.

Technical Support

Before Calling for Technical Support

Before you call ACI for technical support, you should be at your computer with FLIPS running and prepared to give the following information:

- The version of FLIPS you are using
To find the current version number, choose About FLIPS from the Help menu.
- Your registration and product identification numbers
To find your registration number, choose About FLIPS from the Help menu. Your product identification number (Product ID, or PIN) is assigned to you when you register your product.
- The type of hardware you are using, including network hardware
- The operating system you are using
- The exact wording of any messages that appeared on your screen
- What happened and what you were doing when the problem occurred
- How you tried to solve the problem.

Calling ACI Technical Support in the United States

Using ACI's Complementary Support Service

Users in the United States who have registered their software are eligible to receive complementary support directly from ACI's Technical Support Center for a period of 30 days. The complementary support period begins when you call for your installation code(s).

To contact ACI's Technical Support:

Phone: (503) 646-5393

Fax: (503) 644-1683 Attn: Tech. Support

E-mail: atterbury@atterbury.com

Hours: 8:00am to 5:00pm Pacific Time, Monday through Friday, except holidays.

Pay-as-you-go Support

Users in the United States may purchase technical support by simply calling ACI's Technical Support Center and charging the service to a VISA, MasterCard, or American Express credit card. Call for current prices.

Support for Single Users

Single-User Support Services receive:

- ACI Technical Support Center for one year - must specify contact person.

Customer services

You can contact any of ACI's customer service groups via telephone, fax, or E-mail during our normal business hours, Monday through Friday, excluding ACI holidays.

ACI Corporate Office

3800 SW Cedar Hills Blvd #145

Beaverton, OR 97005

Phone: (503) 646-5393

Fax: (503) 644-1683

Hours : 8:00 a.m. to 5:00 p.m. Pacific Time

Customer Service (for ordering, billing, shipping, product information, and order status)

FLIPS / SuperACE06™ User's Manual

Phone: (503) 646-5393
Fax: (503) 644-1683
E-mail: atterbury@atterbury.com
Hours: 8:00 a.m. to 5:00 p.m. Pacific Time

Training Services

ACI offers an introductory course on FLIPS:

- Introduction to FLIPS

These courses are taught at ACI's Education Center in Beaverton, OR, and at a variety of training sites throughout the United States. On-site classes and ACI Rent-a-Tech customized training are also available.

How to Find a Class Near You or Set up Customized Training

For more information about ACI FLIPS software classes, contact:

Atterbury Consultants, Inc
3800 SW Cedar Hills Blvd #145
Beaverton, OR 97005
Telephone: 503-646-5393
Fax: 503-644-1683
Website : www.atterbury.com
E-mail: atterbury@atterbury.com